

TIPPECANOE COUNTY

In 1975 and 1976 Purdue University conducted a summer survey field project in the vicinity of Burnett Creek southwest of Battleground. Horizontal and vertical stations were established. The data on these stations are available in the Department of Natural Resources Division of Water Survey Section.

IFC&WRC TBM WR 36

In Tippecanoe County, Lafayette East Quad., in the Center of Sec. 23, T. 23 N., R. 4 W., 2nd P.M.; at Lafayette; 1.5 miles east along a blacktop and gravel road from the Brown Rubber Company Plant at the U.S. Highway 52 by-pass around Lafayette, 0.4 mile east of a cross road at a right angle turn in the gravel road with tangents north and west, about 20 feet south of the extended centerline of the road west, about 12 feet east of the extended centerline of the road north; the top of an iron post embedded in the top of a square concrete post.

Not recovered June 22, 1962 Book 559

679.721 feet NGVD 1929

IFC&WRC TBM LAF 2

In Tippecanoe County, Lafayette East Quad., in the SW ¼ of Sec. 13, T. 23 N., R. 4 W., 2nd P.M.; about 0.5 mile northeast of Lafayette; reached from the Brown Rubber Company Plant at the U.S. Highway 52 by-pass around Lafayette by going 1.0 mile east (along 0A East Road) to a cross road (2A East Road), thence 1.4 miles north and northeast to the (2A East Road bridge) across Wildcat Creek, thence 0.7 mile south and east (along 3 East Road and then 1B North Road) to a cemetery; set in the south side of a 20-inch Walnut tree, 58 feet west of the southeast corner of the cemetery, 28 feet north of the centerline of the gravel road, 0.2 foot above the ground; an 80 penny spike.

Not recovered June 22, 1962 Book 559

604.729 feet NGVD 1929

IFC&WRC TBM LAF 4

In Tippecanoe County, Lafayette East Quad., in the NW ¼ of Sec. 18, T. 23 N., R. 3 W., 2nd P.M.; about 1.5 miles east-northeast of Lafayette; reached from the Brown Rubber Company Plant at the U.S. Highway 52 by-pass around Lafayette by going 1.0 mile east (along 0A East Road) to a cross road (2A East Road), thence 1.4 miles north and northeast to the (2A East Road bridge) across Wildcat Creek, thence 2.0 miles south and east (along 3 East Road and then 1B North Road) a gravel road along the north side of Wildcat Creek; set on the south headwall of a 5 x 10 foot box culvert, 12 feet south of the centerline of the gravel road, 3 feet above the road; a chiseled triangle.

558.987 feet NGVD 1929

IFC&WRC TBM LAF 10

In Tippecanoe County, Lafayette East Quad., in the SW $\frac{1}{4}$ of Sec. 16, T. 23 N., R. 3 W., 2nd P.M.; about 1.0 miles northwest of Monitor; 0.65 mile west along 1 North Road from its intersection with 6 B East Road, 0.1 mile west of a red barn at the Kerkhof red brick farm home on the south side of the road; set on the north 15-foot headwall of a culvert, on the east end of the headwall, 4 feet below the road; a chiseled triangle.

Not recovered June 22, 1962 Book 659, page 70

646.305 feet NGVD 1929

IFC&WRC TBM LAF 7

In Tippecanoe County, Lafayette East Quad., in the NE $\frac{1}{4}$ of Sec. 19, T. 23 N., R. 3 W., 2nd P.M.; about 1.0 mile east of Lafayette; about 0.7 mile west along 1 North Road from the 1 North Road steel truss bridge over South Fork Wildcat Creek, at a right angle bend in the road with tangents south and east; set on the east end of the south headwall of a 24 inch culvert, 40 feet south of a 100-foot drop to South Fork Wildcat Creek, about 200 feet east of the bend in the road (4 A East Road), 10 feet south of the centerline of 1 North Road, 0.5 foot above the road; a chiseled triangle.

Not recovered June 22, 1962

662.023 feet NGVD 1929

USC&GS BM Y 89, 1946

In Tippecanoe County, Lafayette West Quad., in the NE $\frac{1}{4}$ of Sec. 32, T. 23 N., R. 4 W., 2nd P.M.; at Lafayette; 1.2 miles south along (State Road 43) 4th Street from the courthouse at Lafayette; set in the top of a concrete post projecting 4 inches above the ground, 218 feet south of the centerline of Montefiore Street, 74 feet south of P.S.C. of I. pole 31-107 L 13-1B, 27.5 feet east of the centerline of (State Road 43) 4th Street, 24 feet northwest of a twin pronged Walnut tree, 10.5 feet south of the center line of a driveway, about 1 foot higher than (State Road 43) 4th Street; a U.S. Coast and Geodetic Survey bronze disk, stamped "Y 89 1946".

647.751 feet NGVD 1929

USC&GS BM N 87, 1946

In Tippecanoe County, Lafayette West Quad., in the SE ¼ of Sec. 29, T. 23 N., R. 4 W., 2nd P.M.; at Lafayette; 0.9 mile south along (State Road 43) 4th Street from the courthouse at Lafayette, at the intersection of Owen Street; set in the top of a concrete post projecting 5 inches above the ground, 125 feet west of the center line of (State Road 43) 4th Street, 37 feet east of the centerline of an alley, 23 feet south of the centerline of Owen Street, 30 feet east of a pole #31-036, 1.5 feet north of the north edge of the concrete sidewalk, about 1.0 foot higher than the street; a U.S. Coast and Geodetic Survey bronze disk, stamped "N 87 1946".
659.656 feet NGVD 1929

IFC&WRC BM TIP 7, 1956

In Tippecanoe County, Lafayette West Quad., in the SW ¼ of Sec. 20, T. 23 N., R. 4 W., 2nd P.M.; at Lafayette; at the New York, Chicago and St. Louis Railroad Bridge over the Wabash River; set in the top of the south end of the east abutment, 167 yards west of the New York, Chicago and St. Louis Railroad station, 12 feet south of the south rail, 2 feet east of the west face of the east abutment, 0.7 foot below the top of rail; a Indiana Flood Control and Water Resources Commission bronze bench mark tablet, stamped "TIP 7 1956".

DESTROYED 10/25/82 (NEYER)

542.191 feet NGVD 1929

ISHC BM TIPP C 4

In Tippecanoe County, Lafayette West Quad., in the SW ¼ of Sec. 20, T. 23 N., R. 4 W., 2nd P.M.; at West Lafayette; at the State Street (State Roads 26 and 43) Bridge over the Wabash River; set in the top of the northeast corner of the west abutment, 40 feet east of the west end of the bridge, 32 feet north of the centerline of the highway, 0.6 foot above the highway; a Indiana State Highway Commission bronze tablet, stamped "TIPP C 4".
548.347 feet NGVD 1929

USGS BM TTS 228

In Tippecanoe County, Lafayette West Quad., in the SW ¼ of Sec. 20, T. 23 N., R. 4 W., 2nd P.M.; at West Lafayette; at the Brown Street Bridge over the Wabash River; set in the top of the south side of the west abutment, 12.6 feet south of the centerline of the street, 4.8 feet north of the south end of the abutment, 4 feet lower than the street; a U.S. Geological Survey bronze disk, stamped "GAGING STATION TTS 228".
538.004 feet NGVD 1929

IGS BM 100

In Tippecanoe County, Lafayette West Quad., in the SW $\frac{1}{4}$ of Sec. 20, T. 23 N., R. 4 W., 2nd P.M.; at West Lafayette; at the intersection of U.S. Highway 52 (State Street) and North Ellsworth Street, 0.4 mile west of the Brown Street bridge over the Wabash River, in the northwest quarter of the intersection; set in the top of a concrete post level with the sidewalk, 10.3 feet west of the west curb of North Ellsworth Street, 3.6 feet north of the north curb of State Street; a State Survey disk, stamped "100". 538.575 feet NGVD 1929

USC&GS BM E 31, 1946

In Tippecanoe County, Lafayette West Quad., in the NE $\frac{1}{4}$ of Sec. 23, T. 23 N., R. 5 W., 2nd P.M.; about 0.5 mile west of West Lafayette; 2.9 miles west along the New York, Chicago and St. Louis Railroad from the station at Lafayette, 1.1 miles west of a road crossing at the Purdue University Airport, at the crossing of State Road 26; set in the top of a concrete post projecting 6 inches above the ground, 66 feet southeast of signal tower 216+9, 36 feet west of the west rail of the tracks, 36 feet southeast of the crossing warning sign; a U.S. Coast and Geodetic Survey bronze disk, stamped "E 31 1946". 646.567 feet NGVD 1929

IFC&WRC TBM WC 8, 1961

In Tippecanoe County, Lafayette East Quad., in the NE $\frac{1}{4}$ of Sec. 10, T. 23 N., R. 4 W., 2nd P.M.; about 1.0 miles northeast of Lafayette; 1.3 miles generally northeast along State Road 25 from its junction with U.S. Highway 52 By-pass in Lafayette to a north-south crossroad (2 East Road), thence 0.25 mile north to a right-angle turn east and a "T"-road southeast; set in the north side of a telephone pole which had been cut down and is protruding 4.5 feet above the ground, 37 feet east of the centerline of the road south at the center of the curve, 21 feet north of the centerline of the "T"-road southeast, 1.5 feet above ground; a railroad spike driven through an aluminum tag, stamped "TBM WC 8 1961". 534.344 feet NGVD 1929

ISHC BM TIP C 24

In Tippecanoe County, Lafayette East Quad., in the SE $\frac{1}{4}$ of Sec. 10, T. 23 N., R. 4 W., 2nd P.M.; about 1.0 miles northeast of Lafayette; at the State Road 25 multi span concrete bridge over Wildcat Creek; set in the top of the northeast end of the northwest concrete guardrail base of the bridge, 21.0 feet northwest of the centerline of the highway, 1.0 foot above the highway, 0.3 foot southeast of the northwest face of the northwest concrete guardrail of the bridge, 0.2 foot northeast of the northeast face of the northwest concrete guardrail of the bridge; a Indiana State Highway Commission bench mark tablet, stamped "TIPP C 24". 548.324 feet NGVD 1929

IFC&WRC TBM WC 7

In Tippecanoe County, Lafayette East Quad., in the SE ¼ of Sec. 10, T. 23 N., R. 4 W., 2nd P.M.; about 1.0 miles northeast of Lafayette; at the State Road 25 multi span concrete bridge over Wildcat Creek; set in top of the northeast end of the southeast concrete guardrail base of the bridge, 19.0 feet southeast of the centerline of the highway, 1.1 feet northwest of the northwest face of the southeast concrete and steel guardrail of the bridge 0.9 foot above the highway, 0.8 foot southwest of the northeast face of the southeast guardrail; a chiseled triangle.
548.337 feet NGVD 1929

IFC&WRC TBM WC 6

In Tippecanoe County, Lafayette East Quad., in the SW ¼ of Sec. 11, T. 23 N., R. 4 W., 2nd P.M.; about 1.0 miles northeast of Lafayette; 1.3 miles generally northeast along State road 25 from its junction with U.S. Highway 52 By-pass in Lafayette to a north-south gravel crossroad (2 East Road), thence 0.35 mile generally south to a 10-foot concrete box culvert under the road, 350 feet south of the Wabash Railroad overpass over (2 East Road); set in the top of the east concrete headwall of the culvert, 10.0 feet east of the centerline of the road (2 East Road), 4.3 feet south of the north face of the east headwall, 1.7 feet above the road, 0.6 foot west of the east face of the east headwall; a chiseled triangle.

DESTROYED – new pipe culvert

558.971 feet NGVD 1929

IFC&WRC TBM WC 5

In Tippecanoe County, Lafayette East Quad., in the NW ¼ of Sec. 14, T. 23 N., R. 4 W., 2nd P.M.; about 1.0 miles northeast of Lafayette; 1.3 miles generally northeast along State road 25 from its junction with U.S. Highway 52 By-pass in Lafayette to a north-south gravel crossroad (2 East Road), thence 0.9 mile generally south and east to the B. Sweet farm on the south side of the road (2 North Road); set in top of, near the center of the east concrete headwall of a 1.5 foot pipe culvert under the driveway leading to the south and a barn, 17.5 feet south of the centerline of the road (2 North Road), 10.0 feet east of the centerline of the driveway, 7.0 feet east of the centerline of the driveway, 7.0 feet north of the north face of a concrete fence corner post abutting the south face of the east headwall, 0.5 foot above the road; a chiseled triangle.

DESTROYED – new culvert

608.608 feet NGVD 1929

IFC&WRC TBM WC 4, 1961

In Tippecanoe County, Lafayette East Quad., in the SW ¼ of Sec. 12, T. 23 N., R. 4 W., 2nd P.M.; about 1.0 miles northeast of Lafayette; at the intersection of 2 North Road and 3 East Road, in the northeast ¼ of the intersection; set in the west side of a wooden fence corner post, 21 feet north of the centerline of 2 North Road, 16.5 feet east of the centerline of 3 East Road, 6.5 feet northwest of a power pole painted "675/2", 1.0 foot above the ground; a railroad spike driven through an aluminum tag, stamped "TBM WC 4 1961".
675.994 feet NGVD 1929

DNR BM TIP 27, 1985

In Tippecanoe County, Lafayette East Quad., in the NE ¼ of Sec. 14, T. 23 N., R. 4 W., 2nd P.M.; about 0.5 mile northeast of Lafayette; at the 2 A East Road (Eisenhower Road) bridge over Wildcat Creek; set in the top of the northeast concrete abutment of the bridge, 58.0 feet northwest of the centerline centerline "T" road intersection, 20.0 feet north of the centerline of 2 A East Road (Eisenhower Road), 10.3 feet east of the west end of the abutment, 1.75 feet west of the east end of the abutment, 0.7 foot south of the north face of the abutment, 0.6 foot north of the north face of the concrete bridge deck, about level with the north edge of the concrete bridge deck; a Indiana Department of Natural Resources control station tablet, stamped "TIP 27 1985

Third Order

562.02 feet NGVD 1929

USGS RM #3 LAFAYETTE

In Tippecanoe County, Lafayette East Quad., in the NE ¼ of Sec. 14, T. 23 N., R. 4 W., 2nd P.M.; about 1.0 mile northeast of Lafayette; at the 2 A East Road two-span steel truss bridge over Wildcat Creek; set in top of the northwest stone wingwall of the bridge, 9.5 feet north of the centerline of the road, 2.3 feet north of the north face of the northwest end truss of the bridge, 0.9 foot below the top of the bridge floor, 0.5 foot west of the east face of the west stone bridge floor, 0.5 foot west of the east face of the west stone bridge seat, 0.35 foot southwest of the northeast face of the northwest wingwall; a U.S. Geological Survey bronze disk, stamped "US Geological Survey Flood Mark".

556.318 feet NGVD 1929

USGS RM #4 LAFAYETTE

In Tippecanoe County, Lafayette East Quad., in the NE ¼ of Sec. 14, T. 23 N., R. 4 W., 2nd P.M.; about 1.0 mile northeast of Lafayette; at the 2 A East Road two-span steel truss bridge over Wildcat Creek; set in top of the north end of the center pier of the bridge, 7.5 feet north of the centerline of the bridge road, 1.0 foot south of the north face of the pier, 0.9 foot north of the north face of the northwest end truss of the east span of the two-span bridge, 0.8 foot west of the east face of the pier, 0.3 foot east of the east face of the steel walkway leading to a U.S. Geological Survey gaging station house which is 2 feet north of the north face of the center pier; a U.S. Geological Survey bronze disk, stamped "US Geological Survey Flood Mark".

556.535 feet NGVD 1929

SHCOI BM TIPP C 47

In Tippecanoe County, Lafayette East Quad., in the NW ¼ of Sec. 14, T. 23 N., R. 4 W., 2nd P.M.; about 0.5 mile northeast of Lafayette; at the I 65 (south bound) bridge over Wildcat Creek; set in the top of the southwest concrete abutment of the bridge, 24.0 feet southwest of the centerline of the south bound lanes, 9.7 feet southeast of the northwest end of the abutment, 1.5 feet northwest of the southeast face of the abutment, 0.9 foot southwest of the southwest face of the concrete guardrail of the bridge, 0.6 foot northeast of the southwest face of the abutment, 0.6 foot southwest of the northeast face of the abutment, about level with the road; a State Highway Commission of Indiana bench mark tablet, stamped TIPP C 47".

3rd Order

572.264 feet NGVD 1929

IDOT BM TIPP C 75 R

In Tippecanoe County, Lafayette East Quad., in the NE ¼ of Sec. 10, T. 23 N., R. 4 W., 2nd P.M.; about 1.0 mile northeast of Lafayette; at the State Road 25 bridge over Wildcat Creek; set in the top of the northeast end of the northwest concrete guardrail of the bridge, 22.5 feet northwest of the centerline of the southwest bound lanes of State Road 25, 17.0 feet southwest of the northeast end of the guardrail, 2.7 feet above the concrete bridge deck, 0.4 foot southeast of the northwest face of the guardrail, 0.35 foot northwest of the southeast face of the guardrail; a Indiana Department of Transportation bench mark tablet, stamped TIPP C 75 R".

3rd Order

549.632 feet NGVD 1929

USGS RM # 5 LAFAYETTE

In Tippecanoe County, Lafayette East Quad., in the SW ¼ of Sec. 13, T. 23 N., R. 4 W., 2nd P.M.; about 1.0 mile northeast of Lafayette; at the 2 A East Road two-span steel truss bridge over Wildcat Creek; set in top of the north end of the center pier of the bridge, 7.8 feet north of the centerline of the bridge road, 2.6 feet west of U.S. Geological Survey RM # 2, 1.2 feet east of the west face of the pier, 1.2 feet north of the north face of the northeast end truss of the west span of the 2-span bridge, 0.8 foot below the top of the wooden bridge floor, 0.6 foot south of the north face of the pier, 0.1 foot west of the west face of a steel walkway leading to a U.S. Geological Survey gaging station house; a chiseled square.
556.470 feet NGVD 1929

IFC&WRC BM TIP 3 / USGS RM #1 LAFAYETTE

In Tippecanoe County, Lafayette East Quad., in the SW ¼ of Sec. 13, T. 23 N., R. 4 W., 2nd P.M.; about 1.0 mile northeast of Lafayette; at the 2 A East Road two-span steel truss bridge over Wildcat Creek; set in the top of the concrete extension of the southwest stone wingwall of the bridge, 34 feet west of and 28 feet south of the west end of the south truss, about 7.0 feet below the top of the bridge floor, 3 feet north of an 8-inch thorn tree; a Indiana Flood Control and Water Resources Commission bronze bench mark tablet, stamped "TIP 3".
Destroyed LJS 10/18/74

551.680 feet NGVD 1929

IFC&WRC TBM LAF 1

In Tippecanoe County, Lafayette East Quad., in the SE ¼ of Sec. 14, T. 23 N., R. 4 W., 2nd P.M.; at Lafayette; 1.0 mile east along Union Street from its junction with U.S. Highway 52 By-pass at the Brown Rubber Company in Lafayette to a north-south crossroad (2 A East Road), thence 0.8 mile north to a curve northeast and a private drive north; set in top of the concrete base of the most eastward one of two 2 foot x 2 foot limestone entrance posts with "Maryland" inscribed in the south face, 31 feet north of the centerline of 2 A East Road, 10 feet east of the centerline of the drive north, 1.2 feet southeast of the southeast corner of the post, flush with the ground; a chiseled triangle.
662.642 feet NGVD 1929

IFC&WRC BM TIP 2

In Tippecanoe County, Lafayette East Quad., in the SE $\frac{1}{4}$ of Sec. 23, T. 23 N., R. 4 W., 2nd P.M.; at Lafayette; at the intersection of 0 A North Road and 2 A East Road, in the southeast $\frac{1}{4}$ of the intersection; set in top of a concrete post, 20.5 feet east of the centerline of 2 A East Road, 20 feet south of the centerline of 0 A North Road, 2.3 feet north of the north face of a concrete fence corner post, about 0.5 foot below 2 A East Road, projecting 0.4 foot above the ground; a Indiana Flood Control and Water Resources Commission bronze bench mark tablet, stamped "TIP 2".
681.886 feet NGVD 1929

IFC&WRC TBM WC 18, 1962

In Tippecanoe County, Lafayette East Quad., in the NE $\frac{1}{4}$ of Sec. 23, T. 23 N., R. 4 W., 2nd P.M.; at Lafayette; 1.4 miles generally east along Union Street (0 A North Road) from its junction with U.S. Highway 52 By-pass at the Brown Rubber Company in Lafayette to a right angle turn north; set in the west side of a 30-inch Pecan tree, 17 feet north of the extended centerline of 0 A North Road, 16 feet east of the centerline of the road north, 1.1 feet above the ground; a large boat spike driven through an aluminum tag, stamped "TBM WC 18 1962".
676.109 feet NGVD 1929

IFC&WRC BM TIP 1

In Tippecanoe County, Lafayette East Quad., in the NE $\frac{1}{4}$ of Sec. 23, T. 23 N., R. 4 W., 2nd P.M.; at Lafayette; 1.5 miles east and north along Union Street (0 A North Road) from its junction with U.S. Highway 52 By-pass at the Brown Rubber Company in Lafayette to a right angle turn east; set in top of a concrete post, 111 feet east of the centerline of the road south, 22 feet south of the centerline of the road east, 17 feet east of a 24-inch triple forked Wild Cherry tree, about 4.5 feet above the centerline of the road east, about level with the centerline of the road at the curve, flush with the ground; a Indiana Flood Control and Water Resources Commission bronze bench mark tablet, stamped "TIP 1".
677.008 feet NGVD 1929

IFC&WRC TBM WC 17, 1962

In Tippecanoe County, Lafayette East Quad., in the SW ¼ of Sec. 13, T. 23 N., R. 4 W., 2nd P.M.; about 0.5 mile northeast of Lafayette; about 1.3 miles generally south and east along 3 East Road and then 1 B North Road (gravel roads) from the intersection of 3 East Road and 2 North Road; set in the north side of a 24-inch Oak tree, 0.1 mile west of a cemetery, 19 feet south of the centerline of 1 B North Road, 1.0 foot above the ground; a railroad spike driven through an aluminum tag, stamped "TBM WC 17 1962".

588.560 feet NGVD 1929

IFC&WRC TBM WC 19, 1962

In Tippecanoe County, Lafayette East Quad., in the North ½ of Sec. 24, T. 23 N., R. 4 W., 2nd P.M.; about 4.0 miles northeast of the courthouse in Lafayette; 2.15 miles generally east along Union Street (0 A North Road) and a gravel road from its junction with U.S. Highway 52 By-pass at the Brown Rubber Company in Lafayette to a curve southeast and a large orange barn on the north side of the road; set in the southeast side of a telephone pole, 21 feet northwest of the centerline of the roads, 15 feet northeast of a 12-foot box culvert under the road, 13.5 feet south of the south corner of the barn, 1.3 feet above the ground; a large boat spike driven through an aluminum tag, stamped "TBM WC 19 1962".

563.476 feet NGVD 1929

IFC&WRC TBM WC 20, 1962

In Tippecanoe County, Lafayette East Quad., in the SW ¼ of Sec. 19, T. 23 N., R. 3 W., 2nd P.M.; about 2.6 miles west of Monitor; 3.0 miles generally east along Union Street (0 A North Road) and a gravel road from its junction with U.S. Highway 52 By-pass at the Brown Rubber Company in Lafayette to a farm lane north; set in the north side of a 12-inch Walnut tree on an east-west fence line, 25 feet south of the centerline of a gravel 0 A North Road, 23 feet east of the extended centerline of the farm lane north, about 5.5 feet below the centerline of the gravel 0 A North Road, 1.4 feet above the ground; a large boat spike driven through an aluminum tag, stamped "TBM WC 20 1962".

562.979 feet NGVD 1929

IFC&WRC BM TIP 12, 1961

In Tippecanoe County, Lafayette East Quad., in the NW ¼ of Sec. 19, T. 23 N., R. 3 W., 2nd P.M.; about 2.3 miles west of Monitor; about 0.1 mile north along 4 A East Road from its "T" road intersection with 0 A North Road to a 20-inch pipe culvert under the road; set in top of the south end of the west concrete headwall of the culvert, 13.5 feet west of the centerline of 4 A East Road, 0.85 foot north of the south face of the west headwall, 0.7 foot above the road; a Indiana Flood Control and Water Resources Commission bronze bench mark tablet, stamped "TIP 12 1961".

DESTROYED 1986 T.J.

650.728 feet NGVD 1929

IFC&WRC TBM WC 21

In Tippecanoe County, Lafayette East Quad., in the NW ¼ of Sec. 19, T. 23 N., R. 3 W., 2nd P.M.; about 2.2 miles west-northwest of Monitor; about 0.3 mile north along 4 A East Road from its "T" road intersection with 0 A North Road to a 12-inch pipe culvert under the road; set in top of the west concrete headwall of the culvert, about 125 feet north of a farm house on the west side of the road, 13 feet west of the centerline of the gravel 4 A East Road, 3.0 feet north of the south face of the headwall, 0.8 foot above the road; a chiseled triangle.

663.834 feet NGVD 1929

IFC&WRC TBM WC 16, 1962

In Tippecanoe County, Lafayette East Quad., in the SE ¼ of Sec. 13, T. 23 N., R. 4 W., 2nd P.M.; about 1.0 mile north of Meadowbrook; about 1.3 miles generally southwest along a gravel 1 B North Road from its intersection with 5 East Road to a curve in the road southwest; set in the northwest side of a 12-inch Hickory tree, 15.5 feet southeast of the centerline of the road, 2.1 feet above the ground, about 0.5 foot above the road; a railroad spike driven through an aluminum tag, stamped "TBM WC 16 1962".

582.309 feet NGVD 1929

IFC&WRC BM TIP 4

In Tippecanoe County, Lafayette East Quad., in the SE ¼ of Sec. 13, T. 23 N., R. 4 W., 2nd P.M.; about 1.1 miles north of Meadowbrook; about 1.2 miles generally southwest along a gravel 1 B North Road from its intersection with 5 East Road to a three-foot concrete box culvert under the road at the end of a curve in the road southwest; set in top of the northeast end of the southeast concrete headwall of the culvert, 13.5 feet southeast of the centerline of the road, 1.5 feet above the road, 0.6 foot southwest of the northeast face of the southeast headwall; a Indiana Flood Control and Water Resources Commission bronze bench mark tablet, stamped "TIP 4".
To Be Destroyed 10/25/82 Co. Eng. Office Charles Cronin
559.712 feet NGVD 1929

IFC&WRC TBM WC 15

In Tippecanoe County, Lafayette East Quad., in the NE ¼ of Sec. 18, T. 23 N., R. 3 W., 2nd P.M.; about 2.5 miles northwest of Monitor; about 0.25 mile generally southwest along a gravel 1 B North Road from its intersection with 5 East Road to a 12-inch pipe culvert under the road; set in top of the west end of the north concrete headwall of the culvert, 11.5 feet north of the centerline of the road, 1.0 foot above the road, 0.9 foot east of the west face of the north headwall; a chiseled triangle.
556.204 feet NGVD 1929

IFC&WRC BM TIP 5

In Tippecanoe County, Lafayette East Quad., in the NE ¼ of Sec. 18, T. 23 N., R. 3 W., 2nd P.M.; about 2.5 miles northwest of Monitor; about 0.1 mile generally southwest along a gravel 1 B North Road from its intersection with 5 East Road to a 15-inch pipe culvert under the road; set in top of the southwest end of the northwest concrete headwall of the culvert, 9.5 feet northwest of the centerline of the road, 2.0 feet above the road, 0.6 foot northeast of the southwest face of the northwest headwall; a Indiana Flood Control and Water Resources Commission bronze bench mark tablet, stamped "TIP 5".

To be destroyed 10/26/82

564.453 feet NGVD 1929

IFC&WRC TBM LAF 8

In Tippecanoe County, Lafayette East Quad., in the NE ¼ of Sec. 19, T. 23 N., R. 3 W., 2nd P.M.; about 1.8 miles northwest of Monitor; about 1.8 miles west along 1 North Road from its intersection with 6 B East Road to a field entrance south; set in top of and near the center of the east one of two 24-inch square concrete fence posts, 18 feet south of the centerline of the gravel 1 North Road, 6.5 feet east of the centerline of the field entrance, 5.0 feet above the ground; a chiseled triangle.
572.114 feet NGVD 1929

IFC&WRC TBM LAF 9

In Tippecanoe County, Lafayette East Quad., in the NW ¼ of Sec. 20, T. 23 N., R. 3 W., 2nd P.M.; about 1.8 miles northwest of Monitor, at the 1 North Road one-span steel truss bridge over the South Fork of Wildcat Creek, at the southeast iron wingwall of the bridge; set on top of a rivet head of the most southeastern rivet head of a row of rivets on top of the southeast iron wingwall, 24.5 feet southeast of the east end of the south truss of the bridge, 23 feet south of the centerline of the road, 0.2 foot northwest of the southeast edge of the top iron plate of the wingwall, 0.1 foot northeast of the southwest edge of the top iron plate of the wingwall, about 0.2 foot above the road; a filed cross.

DESTROYED 1986 T.J.

570.382 feet NGVD 1929

IFC&WRC BM TIP 6

In Tippecanoe County, Lafayette East Quad., in the NW ¼ of Sec. 20, T. 23 N., R. 3 W., 2nd P.M.; about 1.7 miles northwest of Monitor; about 1.4 miles west along 1 North Road from its intersection with 6 B East Road to a four-foot concrete culvert under the road; set in top of the west end of the south concrete headwall of the culvert, 15 feet south of the centerline of the road, 1.0 foot east of the west face of the south headwall, about 0.2 foot above the road; a Indiana Flood Control and Water Resources Commission bronze bench mark tablet, stamped "TIP 6".

DISK HAS BEEN HIT

572.470 feet NGVD 1929

IFC&WRC TBM WC 14, 1962

In Tippecanoe County, Lafayette East Quad., in the SE ¼ of Sec. 7, T. 23 N., R. 3 W., 2nd P.M.; about 2.8 miles southwest of Buck Creek; about 0.8 mile south along 5 East Road from its "T" road intersection with 3 North Road to a five-foot pipe culvert under the road; set in the northeast side of a 44-inch Maple tree, 35 feet north of the culvert, 26 feet west of the centerline of the road, 6.5 feet west of a fence line, 1.8 feet above the ground; a railroad spike driven through an aluminum tag, stamped "TBM WC 14 1962".

644.749 feet NGVD 1929

IFC&WRC TBM WC 13

In Tippecanoe County, Lafayette East Quad., in the NE ¼ of Sec. 7, T. 23 N., R. 3 W., 2nd P.M.; about 2.1 miles southwest of Buck Creek; 0.05 mile south along 5 East Road from its "T" road intersection with 3 North Road to a 24-inch pipe culvert under the road; set in top of the west concrete headwall of the culvert, 12 feet west of the centerline of the road, 3.3 feet north of the south face of the headwall, 1.0 foot above the road, 0.7 foot west of the east face of the headwall; a chiseled triangle.

659.737 feet NGVD 1929

IFC&WRC TBM WC 12, 1962

In Tippecanoe County, Lafayette East Quad., in the SE ¼ of Sec. 5, T. 23 N., R. 3 W., 2nd P.M.; about 2.0 miles southwest of Buck Creek, 0.5 mile west along 3 North Road from its "T" road intersection with 6 A East Road to a small bridge over a ditch and a private drive north to a farm house on the west side of the bridge; set in the southwest side of an 18-inch Walnut tree, 28 feet west of the west end of the bridge, 27 feet north of the centerline of 3 North Road, 16 feet east of the centerline of the driveway, 1.7 feet above the ground; a railroad spike driven through an aluminum tag, stamped "TBM WC 12 1962".

644.868 feet NGVD 1929

IFC&WRC TBM WC 11, 1962

In Tippecanoe County, Lafayette East Quad., in the SW ¼ of Sec. 9, T. 23 N., R. 3 W., 2nd P.M.; about 3.0 miles south of Buck Creek; 0.5 mile south along 6 B East Road from its "T" road intersection with 3 North Road to a private driveway east; set in the west side of a power pole, 46 feet north of the centerline of the private drive, 24 feet east of the centerline of 6 B East Road, 1.8 feet above the ground, about level with the road; a railroad spike driven through an aluminum tag, stamped "TBM WC 11 1962".

633.309 feet NGVD 1929

IFC&WRC TBM WC 22

In Tippecanoe County, Lafayette East Quad., in the SW ¼ of Sec. 16, T. 23 N., R. 3 W., 2nd P.M.; about 1.0 mile north of Monitor; 0.5 mile west along 1 North Road from its intersection with 6 B East Road to an 18-inch concrete box culvert under the road; set in top of the north headwall of the culvert, 11.0 feet north of the centerline of the road, 3.2 feet west of the east face of the headwall, 0.9 foot below the road; a chiseled triangle.

NOT FOUND 1986 T.J.

658.383 feet NGVD 1929

IFC&WRC TBM WC 9

In Tippecanoe County, Lafayette East Quad., in the NW ¼ of Sec. 16, T. 23 N., R. 3 W., 2nd P.M.; about 3.7 miles south of Buck Creek, at the 6 B East Road one-span steel truss bridge over Wildcat Creek; set in top of the north concrete wingwall of the bridge, 10.5 feet northeast of the centerline of the road, 3.2 feet northwest of the southeast face of the wingwall, 0.7 foot west of the east face of the wingwall, 0.3 foot above the road; a chiseled triangle.

Bridge has been replaced – new bridge is upstream and runs east-west.

585.083 feet NGVD 1929

IFC&WRC TBM WC 10

In Tippecanoe County, Lafayette East Quad., in the NW ¼ of Sec. 16, T. 23 N., R. 3 W., 2nd P.M.; about 3.7 miles south of Buck Creek, at the 6 B East Road one-span steel truss bridge over Wildcat Creek; set in top of the north concrete wingwall of the bridge, at the northeast corner of the north wingwall at the point where the wingwall begins to slope down, 12 feet north of the centerline of the road, 4.5 feet north of the northwest end truss of the bridge, 2.1 feet north of TBM WC 9, 0.3 foot above the road; a chiseled square.

Bridge has been replaced – new bridge is upstream and runs east-west.
585.085 feet NGVD 1929

IFC&WRC BM TIP 8, 1960

In Tippecanoe County, Lafayette East Quad., in the NW ¼ of Sec. 16, T. 23 N., R. 3 W., 2nd P.M.; about 3.7 miles south of Buck Creek; at the 6 B East Road one-span steel truss bridge over Wildcat Creek; set in top of the east concrete wingwall of the bridge, 9.5 feet northeast of the centerline of the road, 3.2 feet east of the west face of the wingwall, 1.4 feet south of the north face of the wingwall, 0.3 foot above the road; a Indiana Flood Control and Water Resources Commission bronze bench mark tablet, stamped "TIP 8 1960".

Bridge has been replaced – new bridge is upstream and runs east-west.
See DNR BM TIP 8 RESET 1985
585.070 feet NGVD 1929

UCC&GS BM X 119, 1946

In Tippecanoe County, Lafayette East Quad., in the NE ¼ of Sec. 16, T. 23 N., R. 3 W., 2nd P.M.; about 3.7 miles south of Buck Creek; about 0.85 mile north along 6 B East Road from its intersection with 1 North Road to a turn to the west and a gravel road to the east, in the southeast ¼ of the "T"-junction; set in the top of the north end of the east concrete headwall of a two-foot concrete box culvert under 6 B East Road, 16 feet south of the centerline of a field entrance to the east, 13 feet east of the centerline of 6 B East Road, 5.2 feet north of the south face of the east headwall, 0.5 foot above the road; a U.S. Coast and Geodetic Survey disk, stamped "X 119 1946".

596.912 feet NGVD 1929

IFC&WRC TBM WC 23, 1962

In Tippecanoe County, Lafayette East Quad., in the SE ¼ of Sec. 16, T. 23 N., R. 3 W., 2nd P.M.; about 0.9 mile north of Monitor; at the intersection of 6 B East Road and a gravel 1 North Road, in the northwest ¼ of the intersection; set in the southeast side of a telephone pole, 67 feet west of the centerline of 6 B East Road, 18 feet north of the centerline of 1 North Road, 1.0 foot south of a fence line, 0.8 foot above the ground; a large boat spike driven through an aluminum tag, stamped "TBM WC 23 1962".

663.906 feet NGVD 1929

IFC&WRC TBM WC 24, 1962

In Tippecanoe County, Pymont Quad., in the SE ¼ of Sec. 15, T. 23 N., R. 3 W., 2nd P.M.; about 3.8 miles southwest of Pymont; 2.0 miles west along State Road 26 from its intersection with the Tippecanoe/Clinton County Line Road to an north-south crossroad, thence 0.95 mile north to a east-west crossroad (1 North Road), thence 0.45 mile west along 1 North Road to the Edgar Baker farm on the north side of the road; set in the southeast side of a 24-inch Walnut tree, at the southeast corner of the lawn of the farm house, about 200 feet east of the centerline of a "T"-road south, 16 feet north of the centerline of 1 North Road, 2.0 feet southwest of an iron fence corner post, about 0.8 foot above the ground; a railroad spike driven through an aluminum tag, stamped "TBM WC 24 1962".

664.816 feet NGVD 1929

IFC&WRC BM TIP 9, 1960

In Tippecanoe County, Pymont Quad., in the SW ¼ of Sec. 14, T. 23 N., R. 3 W., 2nd P.M.; about 3.5 miles southwest of Pymont; 2.0 miles west along State Road 26 from its intersection with the Tippecanoe/Clinton County Line Road to an north-south crossroad, thence 0.95 mile north to a east-west crossroad (1 North Road), in the northeast ¼ of the intersection; set in top of the north end of an "L" shaped concrete headwall of a 12-inch pipe culvert under 1 North Road, 18 feet north of the centerline of 1 North Road, 13 feet east of the centerline of the north-south road, 3.25 feet north of the south face of the headwall, about 1.1 feet above the centerline of the road north, 0.65 foot south of the north face of the headwall; a Indiana Flood Control and Water Resources Commission bronze bench mark tablet, stamped "TIP 9 1960".

Destroyed 2/5/69

667.862 feet NGVD 1929

IFC&WRC TBM WC 25

In Tippecanoe County, Pymont Quad., in the SW $\frac{1}{4}$ of Sec. 14, T. 23 N., R. 3 W., 2nd P.M.; about 3.5 miles southwest of Pymont; 2.0 miles west along State Road 26 from its intersection with the Tippecanoe/Clinton County Line Road to an north-south crossroad, thence 1.2 miles north to a two-foot concrete box culvert under the road; set in top of near the center of the east concrete headwall of the culvert, 15 feet east of the centerline of the road, 4.0 feet north of the south face of the east headwall, 0.55 foot west of the east face of the headwall, about 0.5 foot above the centerline of the road; a chiseled triangle.

660.300 feet NGVD 1929

IFC&WRC TBM WC 26

In Tippecanoe County, Pymont Quad., in the SW $\frac{1}{4}$ of Sec. 11, T. 23 N., R. 3 W., 2nd P.M.; about 0.8 mile south of Heath; 0.8 mile south along a gravel road from its junction with a paved T-road west in the center of Heath to a 12-inch pipe culvert under the road, about 0.1 mile north of a gravel T-road east; set in top of the north end of the east concrete headwall of the culvert, 12.5 feet east of the centerline of the road, 1.5 feet south of the north face of the east headwall, about 1.2 feet above the centerline of the road, 0.55 foot west of the east face of the headwall; a chiseled triangle.

593.576 feet NGVD 1929

IFC&WRC BM TIP 10, 1960

In Tippecanoe County, Pymont Quad., in the NE $\frac{1}{4}$ of Sec. 10, T. 23 N., R. 3 W., 2nd P.M.; about 0.4 mile south of Heath; 0.4 mile south along a gravel road (Wolfe Road) from its junction with a paved T-road west in the center of Heath to a two-span steel truss bridge over Wildcat Creek; set in top of the southwest stone wingwall of the bridge, 12 feet west of the centerline of the road, 1.7 feet northeast of the southwest face of the southwest wingwall, 1.4 feet southeast of the northwest face of the southwest wingwall, 0.2 foot below the centerline of the road; a Indiana Flood Control and Water Resources Commission bronze bench mark tablet, stamped "TIP 10 1960".

See DNR BM TIP 10 RESET 1985

600.245 feet NGVD 1929

IFC&WRC TBM WC 27, 1962

In Tippecanoe County, Pymont Quad., in the NE $\frac{1}{4}$ of Sec. 10, T. 23 N., R. 3 W., 2nd P.M.; about 0.2 mile south of Heath; 0.25 mile south along a gravel road from its junction with a paved T-road west in the center of Heath; set in the southeast side of the most western 12-inch tree of a group of three Maple trees, about 750 feet north of a steel truss bridge over Wildcat Creek, near the base of a hill, 25 feet west of the centerline of the road, 0.7 foot above ground; a railroad spike driven through an aluminum tag, stamped "TBM WC 27 1962".
593.112 feet NGVD 1929

IFC&WRC TBM WC 28, 1962

In Tippecanoe County, Pymont Quad., in the SW $\frac{1}{4}$ of Sec. 2, T. 23 N., R. 3 W., 2nd P.M.; about 0.1 mile northeast of Heath; 0.05 mile north along a gravel road from its junction with a paved T-road west in the center of Heath to a gravel T-road east, thence 0.15 mile east of Reagons farm on the north side of the road; set in the south side of a 38-inch Cottonwood tree, 31.5 feet east of the centerline of a driveway, 18.5 feet north of the centerline of the road, 0.5 foot north of a fence line, 0.5 foot above the ground; a railroad spike driven through an aluminum tag, stamped "TBM WC 28 1962".
671.018 feet NGVD 1929

IFC&WRC BM TIP 11, 1960

In Tippecanoe County, Pymont Quad., in the SE $\frac{1}{4}$ of Sec. 2, T. 23 N., R. 3 W., 2nd P.M.; about 0.9 mile northeast of Heath; 0.05 mile north along a gravel road from its junction with a paved T-road west in the center of Heath to a gravel T-road east, thence 1.05 mile east to a gravel T-drive north leading to a gravel pit, in the northwest $\frac{1}{4}$ of the T-junction; set in top of a concrete post, 24 feet north of the centerline of the east-west road, 10 feet west of the centerline of the drive north, 3.2 feet west of a burned tree stump that has been sawed off about 7.5 feet above the ground and is being used as a fence corner and gate post, 1.5 feet south of a fence line, flush with the ground; a Indiana Flood Control and Water Resources Commission bronze bench mark tablet, stamped "TIP 11 1960".
602.816 feet NGVD 1929

IFC&WRC TBM WC 29, 1962

In Tippecanoe County, Pymont Quad., in the SW $\frac{1}{4}$ of Sec. 1, T. 23 N., R. 3 W., 2nd P.M.; about 1.2 miles northeast of Heath; 0.05 mile north along a gravel road from its junction with a paved T-road west in the center of Heath to a gravel T-road east, thence 1.2 miles east to the Edward Bayer farm on the south side of the road; set in the south side of a power pole, 15.5 feet north of the centerline of the east-west road, 10 feet northeast of a mailbox, 9.5 feet west of the extended centerline of a driveway, 2.0 feet south of a fence line, 0.7 foot above the ground; a railroad spike driven through an aluminum tag, stamped "TBM WC 29 1962".
601.467 feet NGVD 1929

IFC&WRC TBM WC 30, 1962

In Tippecanoe County, Pymont Quad., in the SE $\frac{1}{4}$ of Sec. 1, T. 23 N., R. 3 W., 2nd P.M.; about 1.1 miles west of Pymont; 1.0 mile generally west along a paved and gravel road from the crossroads in Pymont to a 25-foot concrete bridge over a small stream; set in top of the southwest end of the northwest concrete wheel-guard of the bridge, 9.5 feet northwest of the centerline of the road, 1.85 feet northeast of the southwest face of the northwest wheel guard, 0.8 foot above the road, 0.45 foot northwest of the southeast face of the northwest wheel guard; a chiseled triangle.
620.287 feet NGVD 1929

IFC&WRC BM CAR 1, 1960

In Carroll County, Pymont Quad., in the SW $\frac{1}{4}$ of Sec. 6, T. 23 N., R. 2 W., 2nd P.M.; about 0.8 mile southwest of Pymont, at the Tippecanoe-Carroll County Line Road two-span steel and pony truss bridge over Wildcat Creek; set in top of the south concrete wingwall of the bridge, 16 feet south of the south end of the bridge, 10.5 feet southwest of the centerline of the road, 0.85 foot north of the south face of the south wingwall, 0.8 foot east of the west face of the south wingwall, about 0.3 foot above the centerline of the road; a Indiana Flood Control and Water Resources Commission bronze bench mark tablet, stamped "CAR 1 1960".

2nd ORDER

Superseded see DNR BM CAR 1 RESET 1985

618.067 feet NGVD 1929

DNR BM CAR 1 RESET 1985

In Carroll County, Prymont Quad., in the SW $\frac{1}{4}$ of Sec. 6, T. 23 N., R. 2 W., 2nd P.M.; about 2.0 miles east of Heath; at the Tippecanoe-Carroll County Line Road (1000 West Road) bridge over Wildcat Creek; set in the top of the northeast concrete headwall of the bridge, 13.5 feet east of the centerline of the bridge, 3.3 feet north of the south end of the headwall, 0.6 foot west of the east face of the headwall, level with the road; a Indiana Department of Natural Resources bench mark tablet, stamped "CAR 1 RESET 1985".
625.401 feet NGVD 1929

USGS UE 617.7

In Carroll County, Prymont Quad., in the SW $\frac{1}{4}$ of Sec. 6, T. 23 N., R. 2 W., 2nd P.M.; about 0.8 mile southwest of Prymont; at the Tippecanoe-Carroll County Line Road (1000 West Road) two-span steel and pony truss bridge over Wildcat Creek; set in top of the east concrete wingwall of the bridge, 11.4 feet west of the east face of the east wingwall, 10 feet northeast of the centerline of the road, 6.0 feet east of the east end of the point truss span, about 0.7 foot below the centerline of the road, 0.4 foot south of the north face of the wingwall; a chiseled square.
617.742 feet NGVD 1929

IFC TBM T 11 20 677.0

In Carroll County, Prymont Quad., in the SW $\frac{1}{4}$ of Sec. 6, T. 23 N., R. 2 W., 2nd P.M.; about 0.75 mile west of Prymont; 0.7 mile generally west along a paved and gravel road from the crossroads in Prymont to the Tippecanoe-Carroll County Line Road, in the southeast $\frac{1}{4}$ of the crossroads; set in the west side of a power pole, 23 feet south of the centerline of the east-west road, 17 feet east of the center line of the Tippecanoe-Carroll County Line Road, 2.0 feet west of a fence line, 1.0 foot above ground; a railroad spike.
677.006 feet NGVD 1929

ISHC BM TIPP C 3

In Tippecanoe County, Lafayette East Quad., in the SW $\frac{1}{4}$ of Sec. 21, T. 23 N., R. 3 W., 2nd P.M.; about 0.6 mile west of Monitor; at the State Road 26 one-span steel truss bridge over the South Fork of Wildcat Creek; set in top of the southwest end of the northwest concrete bridge seat supporting the steel truss part of the bridge, 20 feet southwest of the centerline of the road, 5.8 feet below the road, about 1.2 feet northeast of the southwest face of the concrete bridge seat; a Indiana State Highway Commission bench mark tablet, stamped "TIPP C 3".

RECOVERED 6/12/2007

581.914 feet NGVD 1929

IFC&WRC TBM LAF 13

In Tippecanoe County, Lafayette East Quad., in the SW ¼ of Sec. 21, T. 23 N., R. 3 W., 2nd P.M.; about 0.15 mile west of Monitor; at the State Road 26 two-span steel pony truss bridge over the Middle Fork of Wildcat Creek; set in top of the northwest end of the northeast concrete abutment of the bridge, 13.5 feet northwest of the centerline of the road, 2.65 feet northwest of the southeast face of the northwest concrete wheel guard of the bridge, 0.7 foot above the road, 0.25 foot northeast of the southwest face of the northeast abutment, at the point where the abutment begins to slope downward; a chiseled triangle.

DESTROYED 1986 T.J.

588.214 feet NGVD 1929

IFC&WRC BM TIP 20, 1961

In Tippecanoe County, Lafayette East Quad., in the SW ¼ of Sec. 21, T. 23 N., R. 3 W., 2nd P.M.; about 0.15 mile west of Monitor; at the State Road 26 two-span steel pony truss bridge over the Middle Fork of Wildcat Creek; set in top of the southeast end of the northeast concrete abutment of the bridge, 13 feet southeast of the centerline of the road, 1.55 feet southeast of the northwest face of the southeast concrete wheel guard of the bridge, 0.55 foot north east of the southwest face of the northeast abutment, 0.6 foot above the road; a Indiana Flood Control and Water Resources Commission bronze bench mark tablet, stamped "TIP 20 1961".

DESTROYED 1986 T.J.

588.111 feet NGVD 1929

IFC&WRC BM TIP 21, 1961

In Tippecanoe County, Lafayette East Quad., in the SW ¼ of Sec. 21, T. 23 N., R. 3 W., 2nd P.M.; at Monitor; at the 6 B East Road one-span steel girder plate overflow bridge on Middle Fork of Wildcat Creek, about 100 feet south of State Road 26; set in top of the west end of the south concrete bridge abutment at point where the southwest wingwall joins the south bridge abutment, 10.5 feet west of the west steel plate of the bridge, 0.55 foot south of the north face of the south abutment, about level with the road; a Indiana Flood Control and Water Resources Commission bronze bench mark tablet, stamped "TIP 21 1961".

DESTROYED

589.777 feet NGVD 1929

USC&GS BM Y 119, 1946

In Tippecanoe County, Lafayette East Quad., in the SE ¼ of Sec. 21, T. 23 N., R. 3 W., 2nd P.M.; about 0.5 mile north of Monitor; at the Perry Township High School; set vertically in the east face of the school building, 2.75 feet above ground, 1.4 feet south of the northeast corner of the building; a US Coast and Geodetic Survey disk, stamped "Y 119 1946".

RECOVERED 6/12/2007

663.870 feet NGVD 1929

IFC&WRC TBM SFWC 1

In Tippecanoe County, Lafayette East Quad., in the SE ¼ of Sec. 21, T. 23 N., R. 3 W., 2nd P.M.; at Monitor; at the intersection of State Road 26 and 6 B East Road; set in top of and near the center of the south concrete headwall of a five-foot concrete box culvert under State Road 26, 32 feet south of the centerline of State Road 26, 27 feet east of the centerline of 6 B East Road, 4.0 feet east of the west face of the headwall, about 0.2 foot below the centerline of State Road 26; a chiseled triangle.

DESTROYED

588.556 feet NGVD 1929

IFC&WRC TBM MFWC 1

In Tippecanoe County, Pymont Quad., in the SE ¼ of Sec. 22, T. 23 N., R. 3 W., 2nd P.M.; about 1.7 mile west of Petit; about 2.5 miles west along State Road 26 from its intersection with the Tippecanoe-Carroll County Line Road (1000 West Road) to a gravel T-road north and a field entrance south; set in the top of and near the center of the west concrete headwall of a 12-inch pipe culvert under the field entrance south, 34 feet east of the extended center line of the T-road north, 26 feet south of the centerline of State Road 26, 8 feet west of the centerline of the field entrance, 1.7 feet north of the south face of the headwall, about level with the centerline of the field entrance; a chiseled triangle.

664.518 feet NGVD 1929

IFC&WRC TBM MFWC 3

In Tippecanoe County, Pymont Quad., in the SE ¼ of Sec. 27, T. 23 N., R. 3 W., 2nd P.M.; about 1.6 mile southwest of Petit; about 2.0 miles west along State Road 26 from its intersection with the Tippecanoe-Carroll County Line Road (1000 West Road) to a north-south crossroad, thence 0.95 mile south to the Ray Leibenguth farm on the west side of the road, about 0.15 mile south of a concrete bridge over the South Fork of Wildcat Creek; set in the top of and near the center of the north concrete headwall of a 12-inch pipe culvert under a driveway leading west to a large red barn, 17.5 feet north of the centerline of the driveway, 16.5 feet west of the centerline of the road, 2.1 feet west of the east face of the headwall, about 0.5 foot below the centerline of the north-south road; a chiseled triangle.

663.697 feet NGVD 1929

IFC&WRC BM TIP 22, 1961

In Tippecanoe County, Pymont Quad., in the SE ¼ of Sec. 27, T. 23 N., R. 3 W., 2nd P.M.; about 1.5 miles southwest of Petit; about 2.0 miles west along State Road 26 from its intersection with the Tippecanoe-Carroll County Line Road (1000 West Road) to a north-south crossroad, thence 0.8 mile south to a multi-span concrete bridge over Middle Fork of Wildcat creek; set in top of the south end of the west concrete guardrail base of the bridge, 15 feet west of the centerline of the road, 2.7 feet north of the south end of the west guardrail base, 0.8 foot above the road, 0.5 foot east of the east face of the west concrete guardrail; a Indiana Flood Control and Water Resources Commission bronze bench mark tablet, stamped "TIP 22 1961".

626.834 feet NGVD 1929

IFC&WRC TBM MFWC 2, 1962

In Tippecanoe County, Pymont Quad., in the NW ¼ of Sec. 26, T. 23 N., R. 3 W., 2nd P.M.; about 1.25 miles west of Petit; about 2.0 miles west along State Road 26 from its intersection with the Tippecanoe-Carroll County Line Road (1000 West Road) to a north-south crossroad, thence 0.2 mile south along a gravel road to a field entrance east; set in the top of and near the center of a round concrete fence corner post, 19.5 feet east of the centerline of the north-south road, 7.5 feet north of the centerline of the field entrance, 5.9 feet south of a telephone pole, 4.0 feet above the ground; a chiseled triangle.

663.830 feet NGVD 1929

IFC&WRC TBM MFWC 4, 1962

In Tippecanoe County, Pymont Quad., in the NE ¼ of Sec. 35, T. 23 N., R. 3 W., 2nd P.M.; about 1.1 miles southwest of Petit; about 2.0 miles west along State Road 26 from its intersection with the Tippecanoe-Carroll County Line Road (1000 West Road) to a north-south crossroad, thence 1.2 miles south along a gravel road to a gravel T-road east, thence 0.7 mile east to a farm house on the south side of the road; set in the south side of a telephone pole, 42 feet east of the centerline of a driveway leading south to the farm house, 19 feet south of the centerline of the east-west road, 1.3 feet above the ground; a railroad spike driven through an aluminum tag, stamped "TBM MFWC 4 1962".

672.332 feet NGVD 1929

IFC&WRC TBM MFWC 5, 1962

In Tippecanoe County, Pymont Quad., in the SW $\frac{1}{4}$ of Sec. 25, T. 23 N., R. 3 W., 2nd P.M.; about 0.8 mile south of Petit; about 0.5 mile west along State Road 26 from its intersection with the Tippecanoe-Carroll County Line Road (1000 West Road) to a gravel T-road south, thence 0.9 mile generally south to a large farm on the west side of the road; set in the west side of a 36-inch double trunked Catalpa tree, directly across the road from a farm house, 16.5 feet southeast of the centerline of the road, 5.0 feet northeast of a concrete fence corner and gate post, 0.7 foot above the ground; a railroad spike driven through an aluminum tag, stamped "TBM MFWC 5 1962".

642.466 feet NGVD 1929

IFC&WRC BM TIP 23, 1961

In Tippecanoe County, Pymont Quad., in the SW $\frac{1}{4}$ of Sec. 25, T. 23 N., R. 3 W., 2nd P.M.; about 0.6 mile south of Petit; about 0.5 mile west along State Road 26 from its intersection with the Tippecanoe-Carroll County Line Road (1000 West Road) to a gravel T-road south, thence 0.7 mile generally south to a one-span steel pony truss bridge over the Middle Fork of Wildcat Creek; set in top of the southeast end of the northeast concrete bridge seat, 9.5 feet east of the centerline of the road, 0.8 foot below the top of the bridge floor, 0.75 foot east of the east face of the north end of the east truss of the bridge, 0.5 foot west of the east face of the northeast bridge seat; a Indiana Flood Control and Water Resources Commission bronze bench mark tablet, stamped "TIP 23 1961".

632.795 feet NGVD 1929

USGS BM 23 EOM 1958

In Tippecanoe County, Pymont Quad., in the NW $\frac{1}{4}$ of Sec. 25, T. 23 N., R. 3 W., 2nd P.M.; about 0.7 mile east of Petit; at the intersection of State Road 26 and the Tippecanoe-Clinton County Line Road, in the southwest $\frac{1}{4}$ of the intersection; set in top of a concrete post, 93.5 feet south of the centerline of State Road 26, 20 feet west of the centerline of the Tippecanoe-Clinton County Line Road, 3.1 feet south of a power pole, 1.5 feet east of a fence line, projecting 0.1 foot above ground; a U.S. Geological Survey bench mark tablet, stamped "662 FEET 23 EOM 1958".

661.711 feet NGVD 1929

IFC&WRC TBM MFWC 7

In Clinton County, Pymont Quad., in the SW $\frac{1}{4}$ of Sec. 19, T. 23 N., R. 2 W., 2nd P.M.; about 0.7 mile east of Petit; at the intersection of State Road 26 and the Tippecanoe-Clinton County Line Road, in the northeast $\frac{1}{4}$ of the intersection; set in the top of and near the center of the east concrete headwall of a 12-inch pipe culvert under the Tippecanoe-Clinton County Line Road, 50.5 feet north of the centerline of State Road 26, 18.5 feet east of the centerline of the Tippecanoe-Clinton County Line Road, 2.75 feet north of the south face of the east headwall, 0.4 foot west from the east face of the headwall, about level with the centerline of the Tippecanoe-Clinton County Line Road; a chiseled square.
662.606 feet NGVD 1929

IFC&WRC TBM MFWC 6, 1962

In Clinton County, Pymont Quad., in the SW $\frac{1}{4}$ of Sec. 19, T. 23 N., R. 2 W., 2nd P.M.; about 0.7 mile southeast of Petit; about 0.35 mile south along the Tippecanoe-Clinton County Line Road from its intersection with State Road 26 to an east-west gravel crossroad and a private drive south, in the southeast $\frac{1}{4}$ of the intersection; set in the west side of a 20-inch tree, 52 feet east of the extended centerline of the Tippecanoe-Clinton County Line Road, 13.5 feet south of the centerline of the east-west road, 0.5 foot above the ground; a railroad spike driven through an aluminum tag, stamped "TBM MFWC 6 1962".
684.597 feet NGVD 1929

IFC&WRC TBM SFWC 2, 1962

In Tippecanoe County, Lafayette East Quad., in the SW $\frac{1}{4}$ of Sec. 28, T. 23 N., R. 3 W., 2nd P.M.; about 0.75 mile southwest of Monitor; about 0.75 mile generally south along a gravel 5 C East Road from its intersection with State Road 26; set in the west side of a power pole, about 0.1 mile south of a private drive west leading to a farm, 18.5 feet east of the centerline of 5 C East Road, on a north-south fence line, about 0.3 foot above ground; a large boat spike driven through an aluminum tag, stamped "TBM SFWC 2 1962".

DESTROYED 1986 T.J.

615.104 feet NGVD 1929

IFC&WRC BM TIP 13, 1961

In Tippecanoe County, Lafayette East Quad., in the NW ¼ of Sec. 33, T. 23 N., R. 3 W., 2nd P.M.; about 1.4 miles south of Monitor; about 1.2 miles generally south along a gravel 5 C East Road from its intersection with State Road 26 to a 30-foot steel and wooden bridge over a small tributary of the South Fork of Wildcat Creek; set in top of the southeast concrete wingwall of the bridge, 8.5 feet east of the centerline of 5 C East Road, 2.25 feet south of the south end of the east iron guardrail, 1.4 feet southwest of the northeast face of the southeast wingwall, about 0.2 foot below the road; a Indiana Flood Control and Water Resources Commission bronze bench mark tablet, stamped "TIP 13 1961".

DESTROYED 1986 T.J.

602.478 feet NGVD 1929

IFC&WRC TBM SFWC 3, 1962

In Tippecanoe County, Lafayette East Quad., in the NW ¼ of Sec. 33, T. 23 N., R. 3 W., 2nd P.M.; about 1.5 miles south of Monitor; about 1.3 miles generally south along a gravel 5 C East Road from its intersection with State Road 26 to a driveway east leading to the Leo Cohen residence; set in the west side of a power pole, 19.5 feet east of the centerline of the gravel road, 14.5 feet north of the centerline of the driveway, 1.0 foot above the ground; a large boat spike driven through an aluminum tag, stamped "TBM SFWC 3 1962".

DESTROYED 1986 T.J.

613.776 feet NGVD 1929

IFC&WRC BM TIP 14, 1961

In Tippecanoe County, Lafayette East Quad., in the NE ¼ of Sec. 4, T. 22 N., R. 3 W., 2nd P.M.; about 0.5 mile north of Dayton; at the 2 South Road two-span steel truss bridge over the South Fork of Wildcat Creek; set in top of the southeast concrete wingwall of the bridge, 9.5 feet south of the centerline of the road, 1.3 feet east of the west face of the east bridge seat, 0.2 foot above the road; a Indiana Flood Control and Water Resources Commission bronze bench mark tablet, stamped "TIP 14 1961".

Not found new bridge 1/1/1986 T.J.

617.917 feet NGVD 1929

IFC&WRC TBM SFWC 4, 1962

In Tippecanoe County, Lafayette East Quad., in the NE ¼ of Sec. 4, T. 22 N., R. 3 W., 2nd P.M.; about 0.5 mile north of Dayton; at the "T"-road intersection of 2 South Road and 6 C East Road; set in the north side of a power pole, 23.5 feet west of the extended centerline of 6 C East Road, 15 feet south of the centerline of 2 South Road, 3.6 feet above the ground, about level with the road; a large boat spike driven through an aluminum tag, stamped "TBM SFWC 4 1962".

Not found 1/1/1986 T.J.

609.643 feet NGVD 1929

USC&GS BM B 120, 1946

In Tippecanoe County, Lafayette East Quad., in the NW ¼ of Sec. 3, T. 22 N., R. 3 W., 2nd P.M.; about 0.5 mile northeast of Dayton; about 0.25 mile generally south along 7 East Road (gravel) from its intersection with 2 South Road to the Wallace Patton farm; set in top of a concrete post, 21 feet east of the centerline of the road, 20.5 feet north of the centerline of the driveway to the east, projecting 0.2 foot above ground, a U.S. Coast and Geodetic Survey disk, stamped "B 120 1946".

Recovered 12/31/1985 T.J.

681.885 feet NGVD 1929

IFC&WRC TBM SFWC 5, 1962

In Tippecanoe County, Lafayette East Quad., in the SW ¼ of Sec. 3, T. 22 N., R. 3 W., 2nd P.M.; about 0.5 mile east of Dayton; about 0.25 mile generally north along 7 East Road (gravel) from its "T" intersection with State Road 38; set in the northeast side of a 24-inch blazed Cottonwood Tree on the slope of the east bank of the South Fork of Wildcat Creek, about 28 feet south of the north end of a row of Cottonwood trees on the east bank, 24 feet west of the centerline of the road, 1.3 feet above ground, about 1.0 foot below the centerline of the road; a large boat spike driven through an aluminum tag, stamped "TBM SFWC 5 1962".

Recovered 12/31/1985 T.J.

619.512 feet NGVD 1929

IFC&WRC TBM SFWC 6

In Tippecanoe County, Lafayette East Quad., in the SE ¼ of Sec. 4, T. 22 N., R. 3 W., 2nd P.M.; about 0.5 mile east of Dayton; at the State Road 38 two-span steel truss bridge over the South Fork of Wildcat Creek; set in top of the northeast end of the northwest concrete bridge seat, 15 feet northeast of the centerline of the highway, 2.6 feet below the highway, 0.75 foot southeast of the northwest face of the northwest bridge seat, 0.5 foot southwest of the northeast face of the northwest bridge seat; a chiseled triangle.

Recovered 12/31/1985 T.J.

628.737 feet NGVD 1929

IFC&WRC TBM SFWC 7

In Tippecanoe County, Mulberry Quad., in the NW ¼ of Sec. 10, T. 22 N., R. 3 W., 2nd P.M.; about 3.7 miles northwest of Mulberry; at the Norfolk and Western (New York, Chicago and St. Louis) railroad bridge over the South Fork of Wildcat Creek; set in top of the northeast concrete wingwall of the bridge, 4.8 feet north of the north rail of the track, 1.4 feet north of the south face of the north headwall, 0.7 foot west of the east face of the northeast wingwall, 0.1 foot above the top of the rails; a chiseled triangle.

Not found 12/31/1985 T.J.

643.962 feet NGVD 1929

USC&GS BM W 86 RESET 1962

In Tippecanoe County, Mulberry Quad., in the NW ¼ of Sec. 10, T. 22 N., R. 3 W., 2nd P.M.; about 3.7 miles northwest of Mulberry; at the Norfolk and Western (New York, Chicago and St. Louis) railroad bridge over the South Fork of Wildcat Creek; set in top of the southwest concrete wingwall of the bridge, 6.9 feet south of the south rail, 3.75 feet south of the north face of the south headwall, 1.35 feet west of the east face of the southwest wingwall, about 0.2 foot above the top of the rails; a U.S. Coast and Geodetic Survey disk, stamped "86 1946 RESET 1962".

Recovered 12/31/1985 T.J.

642.032 feet NGVD 1929

USC&GS BM M 31, 1934

In Tippecanoe County, Mulberry Quad., in the SE $\frac{1}{4}$ of Sec. 10, T. 22 N., R. 3 W., 2nd P.M.; about 3.0 miles northwest of Mulberry; at the intersection of the Norfolk and Western (New York, Chicago and St. Louis) Railroad and the gravel 8 East Road, in the southwest $\frac{1}{4}$ of the crossing; set in top of a concrete post, 23.5 feet south of the south rail of the track, 18 feet west of the centerline of the road, 18.0 feet northwest of a power pole, 5.5 feet north of a fence line, projecting 0.3 foot above ground; a U.S. Coast and Geodetic Survey disk, stamped "M 31 1934". Buried under gravel, road moved to the east 12/31/1985 T.J.
684.411 feet NGVD 1929

USC&GS BM X 86, 1946

In Tippecanoe County, Mulberry Quad., in the SW $\frac{1}{4}$ of Sec. 14, T. 22 N., R. 3 W., 2nd P.M.; about 3.0 miles west of Mulberry; about 0.3 mile north along 8 East Road from its intersection with 5 South Road to the Rex R. Barnett farm on the east side of the road; set in top of a concrete post, 22.7 feet southwest of the southwest corner of the barn, 20.5 feet east of the centerline of the road, 20 feet north of the centerline of the driveway leading to the barn, projecting 0.4 foot above ground; a U.S. Coast and Geodetic Survey disk, stamped "X 86 1946".
NOT FOUND 1985 T.J.

730.602 feet NGVD 1929

IFC&WRC TBM SFWC 9, 1962

In Tippecanoe County, Stockwell Quad., in the NW $\frac{1}{4}$ of Sec. 22, T. 22 N., R. 3 W., 2nd P.M.; about 2.5 miles south of Dayton; about 0.2 mile generally south and west along 7 East Road from its "T" intersection with 5 South Road; set in the west side of a 10-inch Maple Tree, about 125 feet south of a curve in the road, at the base of a hill, 22 feet south of a 44-inch dead tree, 17.5 feet east of the centerline of the road, 3.5 feet east of a fence line, 0.8 foot above ground; a large boat spike driven through an aluminum tag, stamped "TBM SFWC 9 1962".

Recovered nearly overgrown 12/32/1985 T.J.

672.097 feet NGVD 1929

IFC&WRC BM TIP 15, 1961

In Tippecanoe County, Mulberry Quad., in the NW ¼ of Sec. 22, T. 22 N., R. 3 W., 2nd P.M.; about 3.6 miles west of Mulberry; at the 5 South Road one-span steel truss bridge over the South Fork Wildcat Creek; set in the top of the northwest concrete wingwall of the bridge, 9 feet north of the centerline of the road, 0.95 foot northeast of the west end of the north iron guardrail of the bridge, 0.5 foot west of the east face of the northwest wingwall, about level with the top of the bridge floor; a Indiana Flood Control and Water Resources Commission bronze bench mark tablet, stamped "TIP 15 1961".

Destroyed new bridge 12/31/1985 T.J.

652.942 feet NGVD 1929

IFC&WRC TBM SFWC 8

In Tippecanoe County, Mulberry Quad., in the NE ¼ of Sec. 22, T. 22 N., R. 3 W., 2nd P.M.; about 3.4 miles west of Mulberry; about 0.4 mile west along 5 South Road from its intersection with 8 East Road to an 18-inch pipe culvert under the road; set in top of the north concrete headwall of the culvert, 10.5 feet north of the centerline of the road, 3.3 feet east of the west face of the headwall, 1.05 feet above the road; a chiseled triangle.

Not recovered 12/31/1985 T.J.

732.114 feet NGVD 1929

IFC&WRC BM TIP 16, 1961

In Tippecanoe County, Stockwell Quad., in the NW ¼ of Sec. 27, T. 22 N., R. 3 W., 2nd P.M.; about 3.1 miles south of Dayton; about 1.15 miles generally south and west along 7 East Road from its "T" intersection with 5 South Road, 0.05 mile south of the V.R. Foley Ranch; set in top of a concrete post, 13.5 feet west of the centerline of the road, 3.0 feet south of a power pole, 1.2 feet east of a north-south fence line, about 0.5 foot above the centerline of the gravel road, projecting 0.1 foot above ground; a Indiana Flood Control and Water Resources Commission bronze bench mark tablet, stamped "TIP 16 1961".

NOT FOUND 1985 T.J.

744.656 feet NGVD 1929

IFC&WRC TBM SFWC 10, 1962

In Tippecanoe County, Stockwell Quad., in the NE $\frac{1}{4}$ of Sec. 28, T. 22 N., R. 3 W., 2nd P.M.; about 3.3 miles south of Dayton; about 1.35 miles generally south and west along 7 East Road from its "T" intersection with 5 South Road to a right-angle turn south; set in the east side of a 36-inch Cottonwood Tree, 55 feet west of the centerline of the T-road south, 48 feet south of the extended centerline of the road east, 38 feet west of a fence line, 1.0 foot above ground; a large boat spike driven through an aluminum tag, stamped "TBM SFWC 10 1962".

Not found 12/31/1985 T.J.

741.397 feet NGVD 1929

IFC&WRC TBM SFWC 11, 1962

In Tippecanoe County, Stockwell Quad., in the SE $\frac{1}{4}$ of Sec. 28, T. 22 N., R. 3 W., 2nd P.M.; about 3.8 miles south of Dayton; at the "T" intersection of Southeast Road and 6 D East Road; set in the west side of a 42-inch Oak Tree in a barn lot of a farm, about 85 feet northwest of the extended centerline of 6 D East Road, 70 feet south of the centerline of the driveway leading east to the farm house, 22.5 feet northeast of the centerline of Southeast Road, 3.5 feet east of a fence line, 0.8 foot above the ground; a large boat spike driven through an aluminum tag, stamped "TBM SFWC 11 1962".

Not found 12/31/1985 T.J.

746.180 feet NGVD 1929

IFC&WRC TBM SFWC 12

In Tippecanoe County, Stockwell Quad., in the NW $\frac{1}{4}$ of Sec. 34, T. 22 N., R. 3 W., 2nd P.M.; about 4.2 miles south of Dayton; about 0.25 mile southeast along 7 South Road from its intersection with 6 D East Road to a "T" road to the northeast, thence about 0.05 mile northeast to a 6-foot box culvert under the road; set in top of the northeast end of the southeast concrete headwall of the culvert, 10.5 feet southeast of the centerline of the road, about 2.0 feet below the road, 0.2 foot southwest of the northeast face of the headwall, 0.2 foot northwest of the southeast face of the headwall; a chiseled triangle.

690.875 feet NGVD 1929

IFC&WRC TBM SFWC 13

In Tippecanoe County, Mulberry Quad., in the SW ¼ of Sec. 27, T. 22 N., R. 3 W., 2nd P.M.; about 3.5 miles southwest of Mulberry; about 0.2 mile north along 8 East Road from its "T" intersection with 7 South Road to a "T" road to the west, thence about 0.6 mile generally west to a one-span steel pony truss bridge over Lauramie Creek; set in top of the southwest concrete over stone wingwall of the bridge, 9.5 feet west of the centerline of the road, 4.0 feet west of the southwest end truss of the bridge, about 2.0 feet below the road, 0.3 foot north of the south face of the southwest wingwall; a chiseled triangle.

668.484 feet NGVD 1929

IFC&WRC BM TIP 17, 1961

In Tippecanoe County, Mulberry Quad., in the SW ¼ of Sec. 27, T. 22 N., R. 3 W., 2nd P.M.; about 3.5 miles southwest of Mulberry; about 0.2 mile north along 8 East Road from its "T" intersection with 7 South Road to a "T" road to the west, thence about 0.6 mile generally west to a 5-foot box culvert under the road, about 600 feet southeast of a one-span steel pony truss bridge over Lauramie Creek; set in top of the southeast end of the northeast headwall of the culvert, about 70 feet southeast of the centerline of a driveway leading to a farm house, 7 feet northeast of the centerline of the road, 1.8 feet northwest of the southeast end of the headwall, about 1.2 feet above the centerline of the road; a Indiana Flood Control and Water Resources Commission bronze bench mark tablet, stamped "TIP 17 1961".

667.648 feet NGVD 1929

USC&GS BM Z 86 RESET 1956

In Tippecanoe County, Mulberry Quad., in the SW ¼ of Sec. 35, T. 22 N., R. 3 W., 2nd P.M.; about 3.5 miles southwest of Mulberry; at the 8 East Road multi-span concrete bridge over the South Fork of Wildcat Creek; set in top of the south end of the east concrete wheel guard of the bridge, 12.5 feet east of the centerline of the road, 0.8 foot north of the south face of the east concrete wheel guard, 0.6 foot above the road, 0.3 foot west of the west face of the south end of the east concrete guardrail; a U.S. Coast and Geodetic Survey disk, stamped "Z 86 RESET 1956".

681.592 feet NGVD 1929

IFC&WRC TBM SFWC 14, 1962

In Tippecanoe County, Mulberry Quad., in the NW ¼ of Sec. 35, T. 22 N., R. 3 W., 2nd P.M.; about 3.5 miles southwest of Mulberry; about 0.2 mile east along 7 South Road from its "T" intersection with 8 East Road; set in the west side of a 34-inch twin forked Ash Tree, 30 feet east of a 7-foot pipe culvert under the road, 17 feet south of the centerline of the road, 1.5 feet above the ground, on an east-west fence line; a large boat spike driven through an aluminum tag, stamped "TBM SFWC 14 1962".

Not found 12/23/1985 T.J.

685.530 feet NGVD 1929

IFC&WRC TBM SFWC 15

In Tippecanoe County, Mulberry Quad., in the SE ¼ of Sec. 26, T. 22 N., R. 3 W., 2nd P.M.; about 2.7 miles southwest of Mulberry; about 0.05 mile west along 7 South Road from its intersection with 9 East Road to a 12-foot concrete box culvert under the road; set in top near center of the north concrete headwall of the culvert, 10.5 feet north of the centerline of the road, 7.4 feet west of the east face of the headwall, 1.0 foot above the road, 0.5 foot north of the south face of the headwall; a chiseled triangle.

Not found 12/23/1985 T.J.

729.381 feet NGVD 1929

IFC&WRC BM TIP 18, 1961

In Tippecanoe County, Mulberry Quad., in the SE ¼ of Sec. 26, T. 22 N., R. 3 W., 2nd P.M.; about 2.0 miles southwest of Mulberry; at the 8 B East Road three-span steel girder bridge over the South Fork of Wildcat Creek; set in top of the northeast concrete wingwall of the bridge, 9.5 feet east of the centerline of the road, 0.7 foot north of the north end of the northeast girder, 0.7 foot north of the south face of the north concrete abutment; a Indiana Flood Control and Water Resources Commission bronze bench mark tablet, stamped "TIP 18 1961".

693.681 feet NGVD 1929

IFC&WRC TBM SFWC 16, 1962

In Tippecanoe County, Mulberry Quad., in the SE ¼ of Sec. 26, T. 22 N., R. 3 W., 2nd P.M.; about 2.0 miles southwest of Mulberry; about 0.45 miles generally south along 8 B East Road from the 8 B East Road bridge over the South Fork of Wildcat Creek to an abandoned farm; set in the west side of a 25-inch double forked Locust tree, 24 feet south of the southeast corner of an old two car garage, 14 feet west of the centerline of the road, 1.3 feet above ground; a large boat spike driven through an aluminum tag, stamped "TBM SFWC 16 1962".

Not found 12/23/1985 T.J.

696.540 feet NGVD 1929

IFC&WRC TBM SFWC 17, 1962

In Tippecanoe County, Mulberry Quad., in the SW $\frac{1}{4}$ of Sec. 24, T. 22 N., R. 3 W., 2nd P.M.; about 2.0 miles southwest of Mulberry; about 0.3 miles generally north along 8 B East Road from the 8 B East Road bridge over the South Fork of Wildcat Creek to a private dead-end gravel "T"-road east, thence 0.45 mile generally east and north to a farm house; set in the northeast side of a 28-inch Cottonwood Tree, 39.5 feet northeast of the northeast corner of a concrete porch on east side of the house, 37.2 feet northeast of the northeast corner of the house, 13 feet east of the centerline of the gravel drive, 0.8 foot above the ground; a large boat spike driven through an aluminum tag, stamped "TBM SFWC 17 1962".

DESTROYED 1985 T.J.

722.223 feet NGVD 1929

IFC&WRC TBM SFWC 18, 1962

In Tippecanoe County, Mulberry Quad., in the NE $\frac{1}{4}$ of Sec. 25, T. 22 N., R. 3 W., 2nd P.M.; about 2.5 miles southwest of Mulberry; about 0.1 mile south of the 9 B East Road two-span steel truss bridge over the South Fork of Wildcat Creek, at a house on the west side of the road; set in the west side of a 15-inch Walnut Tree, 38 feet north of the centerline of the driveway leading to the house, 20 feet east of the centerline of the road, about 3.0 feet above the centerline of the road, 1.0 foot above the ground, 1.0 foot west of a fence line; a large boat spike driven through an aluminum tag, stamped "TBM SFWC 18 1962".

DESTROYED 1985 T.J.

708.463 feet NGVD 1929

IFC&WRC BM TIP 19, 1961

In Tippecanoe County, Mulberry Quad., in the NE $\frac{1}{4}$ of Sec. 25, T. 22 N., R. 3 W., 2nd P.M.; about 2.5 miles southwest of Mulberry; at the 9 B East Road two-span steel truss bridge over the South Fork of Wildcat Creek; set in top of the south stone wingwall of the bridge, 12 feet southeast of the centerline of the road, 5.0 feet southeast of the southeast end truss of the bridge, 2.1 feet south of the north face of the south wingwall, about 1.1 feet below the road; a Indiana Flood Control and Water Resources Commission bronze bench mark tablet, stamped "TIP 19 1961".

DESTROYED 1985 T.J.

703.940 feet NGVD 1929

USC&GS STA NO. 343

In Tippecanoe County, Lafayette West Quad., in the NW $\frac{1}{4}$ of Sec. 4, T. 23 N., R. 4W. 2nd P.M.; about 1.7 miles north of Lafayette; at the entrance of the Indiana State Veterans Home" on State Roads 43, 44.5 feet west of the centerline of State Road, 43, 29.5 feet southwest of a 46.0 inch Oak tree, 15.3 feet west of power pole #30-242, 13.3 feet northwest of a metal light pole, 11.4 feet east of the east edge of the curb of the entrance drive to the Veterans Home; set in the top of a concrete post, level with the ground; a U.S. Coast and Geodetic and State Survey brass control station tablet, stamped "STA NO. 343".

583.320 feet NGVD 1929

DNR TIP 28, 1987

In Tippecanoe County, about Lafayette West Quad.; in the NW $\frac{1}{4}$ of Sec. 28, T. 23 N., R. 5 W., 2nd P.M.; about 3.0 miles west of West Lafayette; at the South River Road bridge over Jordan Creek; set in the top of the southwest wingwall of the bridge, 16.7 feet south of the center line of South River Road, 3.4 feet southeast of the east most wooden guardrail post, 0.5 foot above the level of the road; a Department of Natural Resources brass control station tablet, stamped "TIP 28 1987".

539.634 feet NGVD 1929

DNR TIP 29, 1987

In Tippecanoe County, Lafayette West Quad.; in the SE $\frac{1}{4}$ of Sec. 27, T. 23 N. R. 5 W. 2nd P.M.; about 2.0 miles west of West Lafayette; at the South River Road bridge over a small stream, 0.3 mile northwest of the Quiatenon Blockhouse; set in the top of the northeast wingwall of the bridge, 54.0 feet northwest of a "Warning-Curve" sign post, 16.5 feet northeast of the centerline of South River Road; a Department of Natural Resources brass control station tablet, stamped "TIP 29 1987".

534.213 feet NGVD 1929

DNR TIP 30, 1987

In Tippecanoe County, Lafayette West Quad.; in the SW $\frac{1}{4}$ of Sec. 30, T. 23 N., R. 4 W., 2nd P.M.; about 0.4 mile south of West Lafayette; at #1231 South River Road, at a twin-pipe culvert under South Road; set in the top of the south concrete headwall of the culvert, 114.3 feet northeast of the centerline of a stone field entrance to the south, 104.8 feet southeast of a mailbox, 49.5 feet south of and across the road from a power pole, 17.3 feet southeast of the centerline of South River Road, 6.2 feet southwest of the northeast end of the culvert; a Department of Natural Resources brass control station tablet, stamped "TIP 30 1987".

534.397 feet NGVD 1929

DNR TIP 31, 1987

In Tippecanoe County, Lafayette West Quad.; in the NE ¼ of Sec. 30, T. 23 N., R. 4 W. 2nd P.M.; at West Lafayette; at the entrance to the West Lafayette sewage treatment plant on South River Road; set in the top of a concrete culvert under South River Road, 75.7 feet (Slope Dist.) south of the centerline of the entrance to the West Lafayette, treatment plant, 63.8 feet (Slope Dist.) east of the centerline of South River Road, 42.2 feet southwest of a chain link fence corner pole (fence surrounds the treatment plant, approximately 10.0 feet below the level of the road; a Department of Natural Resources brass control station tablet, stamped "TIP 31 1987".

525.609 feet NGVD 1929

DNR TIP 32, 1987

In Tippecanoe County, Lafayette West Quad.; in the SW ¼ of Sec. 20, T. 23 N., R. 4 W., 2nd P.M.; at Lafayette; at the State Street bridge over the Wabash River; set in the bridge, 106.0 feet west of the northwest corner of a concrete handrail on the east side of the bridge, 9.1 feet south of the north edge of the sidewalk, 3.8 feet east of the expansion joint of the bridge, 0.9 foot east of the southeast corner of the base of the first aluminum guardrail post east of the bridge expansion joint; a Department of Natural Resources brass control station tablet, stamped "TIP 33 1987".

549.296 feet NGVD 1929

DNR TIP 33, 1987

In Tippecanoe County, Lafayette West Quad.; in the center of Sec. 20, T. 23 N., R. 4 W., 2nd P.M, at West Lafayette; at the Harrison Street (State Road 231) bridge over the Wabash River; set in the top of the northwest concrete handrail of the bridge, 23.0 feet north of the centerline of the west bound lanes of Harrison Street, 19.8 feet west of a light pole located at the bridge expansion joint, 10.9 feet east of the east face of the "JCT. INDIANA 43" sign post, 1.45 feet east of the west face of concrete bridge handrail, 0.55 foot south of the north face of the concrete handrail; a Department of Natural Resources brass control station tablet, stamped "TIP 33 1987".

559.263 feet NGVD 1929

DNR TIP 34, 1987

In Tippecanoe County, Lafayette West Quad.; in the SW $\frac{1}{4}$ of Sec. 17, T. 23 N., R. 4 W., 2nd P.M.; at west Lafayette; at the State Road 43 bridge over Happy Hollow Ditch; set in the southeast corner of the bridge deck, 83.7 feet northwest of p/p #30-109, 22.9 feet east of the centerline of State Road 43, 0.8 foot south of the southeast corner of the base of the first aluminum guardrail post north of the expansion joint on the east side of the bridge, 0.6 foot north of the south end of the bridge deck, a Department of Natural Resources brass control station tablet, stamped "TIP 34 1987".
529.976 feet NGVD 1929

DNR TIP 35, 1987

In Tippecanoe County, Lafayette West Quad., in the NW $\frac{1}{4}$ of Sec. 16, T. 23 N., R. 4 W., 2nd P.M.; at Lafayette; at the entrance to the Oscar Winski Scrap Metal Company, at the north Ninth St. bridge over a small stream; set in the concrete sidewalk of the bridge, in the southeast corner of the bridge, 75.0 feet northeast of the center line of the entrance drive to the Oscar Winski Co. and the edge of North Ninth Street, 49.2 feet northwest of the west most metal pole of the "Welcome to Oscar Winski CO., Inc." sign, 15.8 feet southeast of the centerline of North Ninth Street, 1.1 feet northeast of the southeast end of the bridge, 0.5 foot west of the concrete guardrail Department of Natural Resources brass control station tablet, stamped "TIP 35 1987".
534.642 feet NGVD 1929

DNR TIP 36, 1987

In Tippecanoe County, Lafayette West Quad., in the SW $\frac{1}{4}$ of Sec. 20, T. 23 N., R. 4 W., 2nd P.M.; at West Lafayette; at the intersections of State Road 43, State Road 26, South River Road, and Brown Street; set in the top of the northeast corner of the concrete base of the metal pole that supports the overhead traffic lights, 58.0 feet north of the centerline of State Road 26, 17.1 feet east of the centerline of the south bound lanes of State Road 43, 23.0 feet west of the centerline of the north bound lanes of State Road 43, 8.1 feet south of the south end of the guardrail; a Department of Natural Resources brass control station tablet, stamped "TIP 36 1987".
537.606 feet NGVD 1929

DNR TIP 38, 1987

In Tippecanoe County, Lafayette East Quad., in the NW ¼ of Sec. 11, T. 23 N., R. 4 W., 2nd P.M.; about 1.0 mile northeast of Lafayette; at the intersection of I-65 and State Road 25, on the north side of State Road 25 on the ramp leading to I-65 north on the east side of I-65; set in the top of the southeast corner of the concrete base of a light pole, 70.5 feet west of a divider fence between the east and west bound lanes of State Road 25, 12.2 feet north of the northwest edge of the north bound entry lane, 0.5 foot west of the east face of the concrete base, 0.5 foot north of the south face of the concrete base, a Department of Natural Resources brass control station tablet, stamped "TIP 38 1987".

543.461 feet NGVD 1929

DNR TIP 39, 1987

In Tippecanoe County, Lafayette East Quad., in the SE ¼ of Sec. 2, T. 23 N., R. 4 W., 2nd P.M.; about 2.0 miles northeast of Lafayette; at the State Road 25 bridge over Dry Run; set in the top of the south wingwall of the bridge, 19.3 feet southeast of the centerline of State Road 25, 1.0 foot north of the south face of the east face of the south wingwall; a Department of Natural Resources brass control station tablet, stamped "TIP 39 1987".

588.594 feet NGVD 1929

DNR TIP 40, 1987

In Tippecanoe County, Lafayette East Quad., in the NE ¼ of Sec. 2, T. 23 N., R. 4 W., 2nd P.M.; about 2.2 miles northeast of Lafayette; at the intersection of State Road 25 and Debbie Drive; set in top of the headwall of a concrete culvert, 100.0 feet north of the centerline of Debbie Drive, 19.5 feet west of the centerline of State Road 25, 1.8 feet south of the north end of the culvert headwall; a Department of Natural Resources brass control station tablet, stamped "TIP 40 1987".

607.743 feet NGVD 1929

DNR TIP 41, 1987

In Tippecanoe County, Lafayette East Quad., in the NE ¼ of Sec. 36, T. 24 N., R. 4 W. 2nd P.M.; about 4.0 miles northeast of Lafayette; about 0.4 mile southwest along State Road 25 from its intersection with State Road 225 and about 300.0 feet northeast along State Road 25 from its intersection with Marimak Drive; set in the top of the headwall of a concrete culvert, 31.0 feet southwest of a private drive to the south, 18.4 feet southeast of the centerline of State Road 25, 1.5 feet below the level of State Road 25, 0.6 foot northeast of the southwest end of the northeast headwall; a Department of Natural Resources brass control station tablet, stamped "TIP 41 1987".

617.685 feet NGVD 1929

DNR TIP 42, 1987

In Tippecanoe County, Lafayette East Quad., in the SW ¼ of Sec. 30, T. 24 N. R. 3 W., 2nd P.M.; about 4.5 miles northeast of Lafayette; at the intersection of State Road 25 and 500 East Road; set in the top of the southwest headwall of a concrete culvert, 78.0 feet northeast of the centerline of 500 East Road, 17.6 feet northwest of the centerline of State Road 25, 0.8 foot southwest of the northeast end of the headwall, 0.8 foot below the level of State Road 25; a Department of Natural Resources brass control station tablet, stamped "TIP 42 1987".

547.214 feet NGVD 1929

DNR TIP 43, 1987

In Tippecanoe County, Lafayette East Quad., in the SW ¼ of Sec. 30, T. 24 N., R.3 W., 2nd P.M.; about 4.0 miles northeast of Lafayette; at the State Road 225 bridge over the Wabash River; set in a concrete block on the southwest bridge abutment, 8.5 feet southwest of the centerline of State Road 225, 1.0 foot southeast of the northwest face of the concrete block, 0.3 foot above the level of the road; a Department of Natural Resources brass control station tablet, stamped "TIP 43 1987".

546.236 feet NGVD 1929

DNR TIP 43 1988 RESET

In Tippecanoe County, Lafayette East Quad., in the SW ¼ of Sec. 30, T. 24 N., R.3 W., 2nd P.M.; about 4.0 miles northeast of Lafayette; at the State Road 225 bridge over the Wabash River; set in the concrete southwest bridge abutment, 12.0 feet southwest of the centerline of State Road 225, 6.6 feet east of the southeast corner of the elevation change in the abutment, 4.8 feet south of the northeast corner of the abutment, 1.0 foot north of the south face of the concrete abutment, 0.7 foot above the level of the road; a Department of Natural Resources brass control station tablet, stamped "TIP 43 1988 RESET".

THIRD ORDER

546.457 feet NGVD 1929

DNR TIP 44, 1987

In Tippecanoe County, Lafayette East Quad., in the SW ¼ of Sec. 27, T. 24 N., R. 4 W., 2nd P.M.; about 2.5 miles north of Lafayette; at the Burnett Road bridge over Burnett Creek; set in the top of the northwest bridge seat, 17.4 feet northeast of the centerline of the Burnett Road, 2.0 feet below the level of the road, 0.7 foot northwest of the southwest face of the northwest bridge seat; a Department of Natural Resources brass control station tablet, stamped "TIP 44 1987".

539.079 feet NGVD 1929

DNR TIP 45, 1987

In Tippecanoe County, Brookston Quad., in the NW $\frac{1}{4}$ of Sec. 24, T. 24 N., R. 4 W., 2nd P.M.; at Battle Ground; at the Battle Ground Junior High School; set in the top of the concrete base of a light pole, 49.0 feet north of the centerline of Pretty Prairie Road, 21.0 feet east of the centerline of the entrance drive to the school, 2.0 feet above the ground, 0.4 foot north of the south face of the base of the light pole; a Department of Natural Resources brass control station tablet, stamped "TIP 45 1987".

606.773 feet NGVD 1929

DNR TIP 46, 1987

In Tippecanoe County, Brookston Quad., in the Center of Sec. 18, T. 24 N., R. 3 W., 2nd P.M.; about 1.2 miles northeast of Battle Ground; about 2.0 miles northeast along Pretty Prairie Road from its intersection with the railroad in Battle Ground, and 0.1 mile northeast along Pretty Prairie Road from its intersection with Greenview Road; set in the top of a concrete culvert under Pretty Prairie Road, 21.7 feet southeast of the centerline of Pretty Prairie Road, 10.3 feet northwest of a power pole, 5.5 feet northeast of a pole with a reflector, 5.1 feet northwest of a fence line, 2.9 feet southwest of a pole with a reflector, 1.0 foot southwest of the northeast end of the culvert, 0.5 foot northwest of the southeast edge of the culvert; a Department of Natural Resources brass control station tablet, stamped "TIP 46 1987".

602.589 feet NGVD 1929

DNR WAB 1, 1987

In Tippecanoe County, Lafayette West Quad., in the NE $\frac{1}{4}$ of Sec. 28, T. 23 N., R. 5 W., 2nd P.M.; about 3.2 miles west of West Lafayette; at the intersection of Patrick Lane and South River Road; set in the top of a concrete post, 79.0 feet northwest of a mailbox, 57.5 feet southeast of a "STOP" sign post, 36.5 feet north of and across the road from a fence line, 34.1 feet northeast of General telephone pole #11 line #30722, 33.0 feet east of the centerline of Patrick Lane, 19.0 feet northeast of the centerline of South River Road, 0.1 below the ground; a Department of Natural Resources brass control station tablet, stamped "WAB 1 1987".

550.828 feet NGVD 1929

DNR WAB 1 AZI 1, 1987

In Tippecanoe County, Lafayette West Quad., in the NW ¼ of Sec. 28, T. 23 N., R. 5 W., 2nd P.M.; about 3.7 miles west of West Lafayette; about 0.45 miles northwest along South River from its intersection with Patrick Lane, on the south side of the road; set in the top of a concrete post, 86.3 feet southwest of and across the road from mail box #4703, 78.0 feet south of and across the road from a 25.0 inch diameter Maple tree, 66.4 feet southwest of the centerline of the private drive (leading to #4703) and the north edge of south River Road, 50.0 feet west of power pole #822/65551, 29.9 feet south of the centerline of South River Road, 0.1 foot below the ground; a Department of Natural Resources brass control station tablet, stamped "WAB 1 AZI 1 1987".

538.989 feet NGVD 1929

DNR WAB 2, 1987

In Tippecanoe County, Lafayette West Quad., in the SE ¼ of Sec. 27, T. 23 N., R. 5 W., 2nd P.M.; about 2.0 miles southwest of West Lafayette; at the Fort Quiatenon Blockhouse park; set in the top of a concrete post, 207.3 feet northeast of the northeast corner of the Blockhouse, 80.0 feet east-southeast of the southeast corner of a stone monument ("1719 Fort Quiatenon"), 70.8 feet northeast of a four trunked tree, 43.9 feet northwest of a Sassafras tree, 33.3 south of the centerline of South River Road, 4.4 feet south of a chain link fence, 0.1 foot below the ground; a Department of Natural Resources brass control station tablet, stamped "WAB 2 1987".

535.208 feet NGVD 1929

DNR WAB 2 AZI 1987

In Tippecanoe County, Lafayette West Quad., in the SE ¼ of Sec. 27, T. 23 N., R. 5 W., 2nd P.M.; about 2.0 miles southwest of West Lafayette; at the Fort Quiatenon Blockhouse Park, at a wooden shelter over a water well and pump; set in the top of a concrete post, 92.3 feet northwest of the northwest wooden corner post of the parking lot, 15.6 feet northwest of a 1.0 inch pine tree, 12.8 feet northwest of a southwest post of the shelter, 10.0 feet west of the northwest post of the shelter, 0.1 foot below the ground; a Department of Natural Resources brass control station tablet, stamped "WAB 2 AZI 1 1987".

523.520 feet NGVD 1929

DNR WAB 4, 1987

In Tippecanoe County, Lafayette West Quad., in the NE ¼ of Sec. 36, T. 23 N., R. 5 W., 2nd P.M.; about 1.5 miles southwest of West Lafayette; about 2.1 miles southwest along South River Road from its intersection with State Road 26 in West Lafayette to the station on the south side of the road; set in the top of a concrete post, 48.1 feet west of WAB 4 RM 2, 45.3 feet southeast of and across the road from WAB 4 RM 1, 23.5 feet south of the centerline of South River Road, 19.3 feet east of power pole #27-154, 5.6 feet northeast of a wooden corner fence post, 3.0 feet north of a wooden board fence line, 0.1 foot below the ground; a Department of Natural Resources brass control station tablet, stamped "WAB 4 1987".
547.672 feet NGVD 1929

DNR WAB 4 AZI 1, 1987

In Tippecanoe County, Lafayette West Quad., in the SE ¼ of Sec. 25, T. 23 N., R. 5 W., 2nd P.M.; about 1.3 miles south of West Lafayette; at 1539 South River Road, about 2.0 miles southwest along South River Road from its intersection with State Road 26 in West Lafayette, on the southeast side of the road; set in the top of a concrete post, 132.8 feet northeast of the northeast corner of a wooden fence corner post, 23.3 feet west of a 1.0 inch Walnut tree, 23.0 feet southeast of the centerline of South River Road, 14.9 feet northeast of the northeast corner of a wooden gatepost, 3.5 feet northwest of a wooden fence line, 0.1 foot below the ground; a Department of Natural Resources brass control station tablet, stamped "WAB 4 AZI 1 1987".
544.368 feet NGVD 1929

DNR WAB 5, 1987

In Tippecanoe County, Lafayette West Quad., in the NE ¼ of Sec. 31, T. 23 N., R. 4 W., 2nd P.M.; at Lafayette; at the entrance to the Lafayette Sewage treatment plant, 0.8 mile southwest along Wabash Avenue from its intersection with America Street; set in the top of a concrete post, 137.7 feet north of and across the road from a fire hydrant, 63.4 feet southwest of the centerline of the entrance to the sewage treatment plant, 20.4 feet northwest of the centerline of Wabash Avenue, 14.0 feet northeast of power pole #19-309 with a light and a transformer, 3.3 feet northwest of a metal guardrail, 0.1 foot below the ground; a Department of Natural Resources brass control station tablet, stamped "WAB 5 1987".
542.148 feet NGVD 1929

DNR WAB 5 AZI 1, 1987

In Tippecanoe County, Lafayette West Quad, in the SE ¼ of Sec. 30, T. 23 N., R. 4 W 2nd P.M.; at Lafayette; 0.5 mile southwest along Wabash Avenue from its intersection with America Street, east-northeast of the Log Cabin Inn, on the southeast side of Wabash Avenue; set in the top of a concrete post, 80.5 feet northeast of and across the road from a power pole with a transformer, 68.6 feet northeast of a power pole, 39.6 feet southwest of a "SPEED LIMIT" sign post, 25.1 feet southeast of a "SPEED LIMIT" sign post, 25.1 feet southeast of the centerline of Wabash Avenue, 25.0 feet (slope dist.) northwest of the northwest rail of the railroad, 0.1 foot below the ground; a Department of Natural Resources brass control station tablet, stamped "WAB 5 AZI 1987".

549.655 feet NGVD 1929

DNR WAB 6, 1987

In Tippecanoe County, Lafayette West Quad., in the Center of Section 19, T. 23 N., R. 4 W., 2nd P.M.; at Lafayette; at the intersection of Wood Street and Grant Street, in the southwest quarter of the intersection; set in the top of a concrete post, 93.3 feet east of the 3rd power pole west of the intersection of Wood Street and Grant Street (on the south side of Wood Street), 21.2 feet south of the centerline of Wood Street, 2.8 feet south of the south edge of the Wood Street curb, 2.3 feet north of the north edge of the sidewalk, 0.1 foot below the ground; a Department of Natural Resources brass control station tablet, stamped "WAB 6 1987".

DESTROYED see WAB 6 RESET 2002

607.057 feet NGVD 1929

DNR WAB 7, 1987

In Tippecanoe County, Lafayette West Quad., in the NW ¼ of Sec. 29, T. 23 N., R. 4 W., 2nd P.M.; at Lafayette; at the intersection of Wabash Avenue and Smith Street, 96.7 feet northeast of the centerline of Smith Street, 56.7 feet south of the south corner of the St. Ann's Church and Rectory, 41.8 feet southwest of a flagpole, 30.9 feet southeast of the south corner of a two story brick building, 20.8 feet southeast of the northeast corner of the handicapped ramp, 18.1 feet northwest of the centerline of Wabash Avenue, 3.6 feet southeast of the southeast edge of the sidewalk, 3.0 feet northwest of the northwest edge of concrete curb, 0.1 foot below the ground; a Department of Natural Resources brass control station tablet, stamped "WAB 7 1987".

541.753 feet NGVD 1929

DNR WAB 7 AZI 1, 1987

In Tippecanoe County, Lafayette West Quad., in the SW ¼ of Sec. 29, T. 23 N., R. 4 W., 2nd PM.; at Lafayette; at the intersection of Wabash Avenue and America Street, in the southwest quarter of the intersection; set in the top of a concrete post, 46.6 feet southwest of and across America Street from a fire Hydrant, 41.1 feet southeast of a light pole with a street sign, 27.8 feet southwest of the centerline of America Street, 20.0 feet southeast of the centerline of Wabash Avenue, 12.2 feet north of a fence corner, 2.9 feet northwest of the northwest edge of a sidewalk, 0.1 foot below the ground; a Department of Natural Resources brass control station tablet, stamped "WAB 7 AZI 1 1987."

537.006 feet NGVD 1929

DNR WAB 8, 1987

In Tippecanoe County, Lafayette West Quad., in the NE ¼ of Sec. 20, T. 23 N., R. 4 W., 2nd P.M.; at Lafayette; at the Lafayette Waterworks Well Field on Canal Road; set in the top of a concrete post, 52.1 feet south-southwest of WAB 8 RM 1, 44.1 feet east-southeast of WAB 8 RM 2, 41.9 feet east of power pole#40-084, 38.9 feet north of a metal manhole cover, 38.1 feet south-southwest of a concrete culvert, 35.8 feet northwest of the centerline of the southwest bound lanes of Canal Road, 0.1 foot below the level of the ground; a Department of Natural Resources brass control and Water Resources brass control station tablets, stamped "WAB 8 1987".

537.803 feet NGVD 1929

DNR WAB 8 AZI 1, 1987

In Tippecanoe County, Lafayette West Quad., in the NE ¼ of Sec. 20, T. 23 N., R. 4 W., 2nd P.M.; at Lafayette; at the exit of the Greater Lafayette Public Transportation Corporation, 0.3 mile northeast along Canal Road from its intersection with Salem Street; set in the top of a concrete post, 114.4 feet north of the split in the lanes of Canal Road, 46.0 feet southwest of the centerline of the exit, 34.0 feet northwest of the centerline of Canal Road, 30.0 feet northeast of a power pole with two guy wires, 15.3 feet south of a wooden lamp post, 14.9 feet southeast of a four-inch Pin Oak tree, 0.1 foot below the level of the ground; a Department of Natural Resources brass control and Water Resources brass control station tablets, stamped "WAB 8 AZI 1 1987".

DNR WAB 8 AZI 1, 1987 not tied in due to radio interference from the bus station to the GPS receivers.

DNR WAB 8 AZI 2, 1987

In Tippecanoe County, Lafayette West Quad., in the NW ¼ of Sec. 20, T. 23 N., R. 4 W., 2nd P.M.; at West Lafayette; 0.1 mile north along State Road 43 from its intersection with US 231 to the entrance of the "Williamsburg on the Wabash" apartment buildings, thence east to the east end of the complex, thence north to the main entrance of the east most building, east of the retaining wall on the east side of the parking lot; set in the top of a concrete post, 6.1 feet southwest of the post of the 1st barbecue north of a concrete slab, 31.8 feet north of the steps leading from the parking lot to a picnic area, 31.1 feet northwest of a railroad spike in the southwest corner of a concrete slab, 27.3 feet southwest of a railroad spike in the northwest corner of a concrete slab, 6.1 feet east of a "PK" nail in the top of a concrete and brick retaining wall, 0.1 foot below the ground; a Department of Natural Resources brass control station tablet, stamped "WAB 8 AZI 2 1987".
524.271 feet NGVD 1929

DNR WAB 9, 1987

In Tippecanoe County, Lafayette West Quad., in the SE ¼ of Sec. 9, T. 23 N., R. 4 W., 2nd P.M.; at Lafayette; 0.35 mile east along U.S. 52 from the east end of the U.S. 52 bridge over the Wabash River, on the north side of the west bound lanes of U.S. 52; set in the top of a concrete post, 122.5 feet east of a steel post near a drain pipe, 37.7 feet northwest of a railroad spike driven into the asphalt shoulder at the north edge of the west bound lanes of U.S. 52, 28.9 feet northeast of a railroad spike driven into the asphalt shoulder at the north edge of the westbound lanes of U.S. 52, 27.3 feet north of a railroad spike driven into the asphalt shoulder at the north edge of the westbound lanes of U.S. 52, 1.0 foot south of a orange Department of Natural Resources witness post, 0.1 foot below the ground; a Department of Natural Resources brass control station tablet, stamped "WAB 9 1987".
538.368 feet NGVD 1929

DNR WAB 9 AZI 1, 1987

In Tippecanoe County, Lafayette West Quad., in the SE ¼ of Sec. 8, T. 23 N., R. 4 W., 2nd P.M.; at West Lafayette; at the U.S. 52 bridge over the Wabash River; set in the top of the southwest concrete pillar of the east bound lanes of the bridge, 41.2 feet east of the north most post of a "WABASH RIVER" sign, 2.9 feet southeast of the southeast corner of the concrete guardrail wall, 1.55 feet west of the east face of the concrete bridge abutment, 1.5 feet north of the south face of the concrete bridge abutment (at the expansion joint), 1.4 feet east of the west face of the concrete bridge abutment; a Department of Natural Resources brass control station tablet, stamped "WAB 9 AZI 1 1987".
582.583 feet NGVD 1929

DNR WAB 10, 1987

In Tippecanoe County, Lafayette West Quad., in the NE ¼ of Sec. 8, T. 23 N., R. 4 W., 2nd P.M.; about 0.5 mile north of West Lafayette; at the Wabash Valley Hospital (Sanitarium); set in the top of a concrete post, 128.0 feet southwest of the centerline of the entrance drive to the hospital, 114.2 feet southeast of the center of a manhole cover, 91.4 feet south of the southeast corner of the brick "HOSPITAL" sign, 96.4 feet southwest of and across State Road 43 from a power pole with a transformer, 85.6 feet southwest of a telephone pole, 35.5 feet north of a telephone pole, 34.6 feet west of the centerline of State Road 43, 19.3 feet north of the center of a sewer grate, 0.1 foot below the ground; a Department of Natural Resources brass control station tablet, stamped "WAB 10 1987".

529.661 feet NGVD 1929

DNR WAB 10 AZI 1, 1987

In Tippecanoe County, Lafayette West Quad., in the SE ¼ of Sec. 5, T. 23 N., R. 4 W., 2nd P.M.; about 1.0 mile north of West Lafayette; at #3030-3031 State Road 43, about 0.4 mile north along State Road 43 from the Wabash Valley Hospital (Sanitarium); set in the top of a concrete post, 121.5 feet east of a twin trunked tree, 93.2 feet southwest of the centerline of a concrete drive leading to # 3030-3031, 75.8 feet southwest of a mailbox (#3030-3031), 71.9 feet south of a 24.0 inch Cottonwood tree, 56.4 feet northeast of a telephone pole, 28.3 feet northwest of the centerline of State Road 43, 23.0 feet northeast of the northeast corner of a concrete culvert under State Road 43, 0.1 foot below the ground; a Department of Natural Resources brass control station tablet, stamped "WAB 10 AZI 1 1987".

523.895 feet NGVD 1929

DNR WAB 11, 1987

In Tippecanoe County, Lafayette West Quad., SE ¼ Sec. 9, T. 23N., R. 4W., 2nd P.M.; at Lafayette, at the U.S. 52 bridge over 1 East Road (North Ninth Street); set in the top of a concrete post, about 100 feet west of the centerline of 1 East Road (North Ninth Street), 30.7 feet north of the north edge of the west bound lanes of U.S. 52, 21.2 feet northwest of ISHC BM Tipp C-64 (set in the northwest wingwall of the bridge), 20.3 feet north of a guardrail, 13.7 feet southwest of the open end of a 6.0 inch diameter corrugated metal drain pipe, 5.8 feet east of the east edge of a "V" shaped concrete drain, 4.0 feet northwest of a power pole, 0.1 foot below the ground; a Department of Natural Resources brass control station tablet, stamped "WAB 11 1987".

571.043 feet NGVD 1929

DNR WAB 11 AZI 1, 1987

In Tippecanoe County, Lafayette West Quad., in the SE ¼ of Sec. 9, T. 23 N., R. 4 W., 2nd P.M.; about 0.3 mile north of Lafayette; about 0.3 mile north along 1 East Road (North Ninth Street) from its intersection with U.S. 52; set in the top of a concrete post, 76.7 feet north of power pole #026-220 75.2 feet southwest of General Telephone pole #40 line #14400, 46.7 feet south of a fence line, 36.8 feet south-southwest of a fire hydrant, 21.1 feet west of the centerline of 1 East Road (North Ninth Street), 11.0 feet northwest of the northwest rail of the abandoned rail line, 0.1 foot below the ground; a Department of Natural Resources brass control station tablet, stamped "WAB 11 AZI 1987".

554.117 feet NGVD 1929

DNR WAB 12, 1987

In Tippecanoe County, Lafayette East Quad., in the NE ¼ of Sec. 4, T. 23 N., R. 4 W., 2nd P.M.; about 1.0 mile north of Lafayette; 0.4 mile south along 1 East Road (North Ninth Street) from the south end of the 1 East Road (North Ninth Street) bridge over the Wabash River, at an entrance drive to a "GTE" platform; set in the top of a concrete post, 42.3 feet northwest of the northwest corner of the wooden platform of a short "GTE" telephone pole with a silver cylinder, 27.2 feet north of the centerline of the entrance, 21.3 feet east of the centerline of 1 East Road (North Ninth Street), 20.85 feet south of a reflector pole, 0.1 foot below the ground; a Department of Natural Resources brass control station tablet, stamped "WAB 12 1987".

536.590 feet NGVD 1929

DNR WAB 12 AZI 1, 1987

In Tippecanoe County, Lafayette East Quad., in the NE ¼ of Sec. 4, T. 23 N., R. 4 W., 2nd P.M.; about 1.5 mile north of Lafayette; at the 1 East Road (North Ninth Street) bridge over the Wabash River, at the southeast end of the bridge; set in the top of a concrete post, 56.1 feet northeast of the west end of a reflector pole, 48.7 feet southeast of the southeast edge of the south most guardrail post on the west side of 1 East Road (North Ninth Street), 34.2 feet southwest of the southeast edge of the south most guard rail post on the east side of 1 East Road (North Ninth Street), 17.2 feet east of the centerline of 1 East Road (North Ninth Street), 14.0 feet southwest of a 3.0 foot high twin trunked 6.0 inch diameter tree, 0.1 foot below the ground; a Department of Natural Resources brass control station tablet, stamped "WAB 12 AZI 1 1987".

544.649 feet NGVD 1929

DNR WAB 13, 1987

In Tippecanoe County, Lafayette East Quad., in the SE ¼ of Sec. 28, T. 23 N., R. 4 W., 2nd P.M.; about 2.3 miles north of Lafayette; at the intersection of State Road 43, Burnett Road, and Prophets Rock Road; set in the top of a concrete post -+250 feet northeast of the centerline of Burnett Road, 99.0 feet southeast of the centerline of State Road 43, 62.7 feet northeast of the northeast of the northwest post of a "STOP" sign, 62.4 feet west of Department of Natural Resources station "BCB 11" a rebar and cap, 38.5 feet northwest of the centerline of a private drive at the southeast edge of Prophets Rock Road, 25.0 feet northwest of the centerline of Prophets Rock Road, 28.6 feet west of the north most post of mailbox #5150, 0.1 foot below the ground; a Department of Natural Resources brass control station tablet, stamped "WAB 13 1987".

592.621 feet NGVD 1929

DNR WAB 13 AZI 1, 1987

In Tippecanoe County, Lafayette East Quad., in the SE ¼ of Sec. 28, T. 24 N., R. 4 W., 2nd P.M.; about 1.2 miles north of Lafayette; at the intersection of State Road 43 and 500 East Road; set in the top of a concrete post, 81.2 feet west of a power pole, 65.9 feet southwest of the centerline of a private drive, 51.3 feet northeast of the entrance drive to American Legion Post #492, 48.2 feet east of the centerline of State Road 43 and the extended centerline of 500 East Road, 33.6 feet northeast of a power pole #65-146, 29.2 feet southeast of the centerline of State Road 43, 27.1 feet north of a flag pole, 0.1 foot below the ground; a Department of Natural Resources brass control station tablet, stamped "WAB 13 AZI 1987".

591.739 feet NGVD 1929

DNR WAB 14, 1987

In Tippecanoe County, Lafayette East Quad., in the SW ¼ of Sec. 10, T. 23 N., R. 4 W., 2nd P.M.; about 0.5 mile northeast of Lafayette; at the north corner of the St. Boniface Cemetery; set in the top of a concrete post, -+400 feet southwest of the centerline of the entrance drive to "Lafayette Trailer Sales", 66.8 feet southwest of a yellow "GAS PIPELINE" warning post, 53.6 feet west of the east end of a 18.0 inch metal pipe culvert, 48.6 feet east of a metal fence corner post, 22.4 feet northeast of a fence line, 10.4 feet southeast of the southeast edge of the State Road 25 curb, 0.1 foot below the ground; a Department of Natural Resources brass control station tablet, stamped "WAB 14 1987".

582.412 feet NGVD 1929

DNR WAB 14 AZI 1, 1987

In Tippecanoe County, Lafayette East Quad., in the East ½ of Sec. 10, T. 23 N., R. 4 W., 2nd P.M.; about 1.0 mile northeast of Lafayette; at the intersection of State Road 25 and Barton Beach Road (2 East Road); set in the top of a concrete post, 76.3 feet northeast of the centerline of 2 East Road (Barton Beach Road), 36.9 feet northwest of the centerline of southwest bound lanes of State Road 25, 27.5 feet northeast of the east edge of the east most post of a "ONE WAY" sign, 16.4 feet west of the north edge of the north most post of a "DO NOT ENTER" sign, 0.1 foot below the ground; a Department of Natural Resources brass control tablet, stamped "WAB 14 AZI 1 1987".

544.627 feet NGVD 1929

DNR WAB 14 A 1987

In Tippecanoe County, Lafayette East Quad., in the NE ¼ of Sec. 3, T. 23 N., R. 4 W., 2nd P.M.; about 1.5 miles north-northeast of Lafayette; at the I-65 bridge over the Wabash River; set in the top southeast corner of the bridge curb, 26.9 feet north of the west edge of the west post of a "WABASH RIVER" sign, 4.2 feet south of a fence post, 1.5 feet east of the east edge of a steel guardrail, 1.2 feet north of the south end of the bridge curb, 0.7 foot west of the east edge of the bridge curb; a Department of Natural Resources brass control station tablet, stamped "WAB 14 A 1987".

555.871 feet NGVD 1929

DNR WAB 14 A AZI 1, 1987

In Tippecanoe County, Lafayette East Quad., in the NW ¼ of Sec. 11, T. 23 N., R. 4 W., 2nd P.M.; about 1.1 miles northeast of Lafayette; at the I-65 bridge over State Road 25; set in the top of a concrete post, 36.3 feet north of the northeast corner of the concrete bridge curb on the northeast end of the north bound lanes of I-65, 10.0 feet northeast of the northeast corner of the north most guardrail post on the east side of the north bound lanes of I-65, 0.1 foot below the ground; a Department of Natural Resources brass control station tablet, stamped "WAB 14 A AZI 1987".

561.801 feet NGVD 1929

DNR WAB 15, 1987

In Tippecanoe County, Lafayette East Quad., in a Grant, T. 24 N., R. 4 W., 2nd P.M.; about 2.5 miles north of Lafayette; at the 1 Northeast Road (Swisher Road) bridge over I-65; set in the top of the northeast wingwall of the bridge, 24.2 feet north of the centerline of 1 Northeast Road (Swisher Road), 17.5 feet northeast of the expansion joint of the bridge, 2.2 feet east of the northeast corner of the 3rd aluminum guardrail post northeast of the expansion joint of the bridge, 1.0 foot west of the east end of the curb, 0.6 foot south of the north end of the curb; a Department of Natural Resources brass control station tablet, stamped "WAB 15 1987". 568.551 feet NGVD 1929

DNR WAB 15 AZI 1, 1987

In Tippecanoe County, Lafayette East Quad., in the South ½ of Sec. 27, T. 24 N., R. 4 W., 2nd P.M.; about 2.8 miles north of Lafayette; at the I-65 bridge over the CSX railroad; set in the top of the southeast wingwall of the northwest bound lanes of the I-65 bridge, 15.3 feet northwest of a metal post with a reflector, 7.1 feet southeast of a metal fence corner, 1.5 feet northeast of a metal guardrail, 0.65 foot northwest of the southeast face of the wingwall, 0.6 foot northeast of the southwest face of the wingwall; a Department of Natural Resources brass control station tablet, stamped "WAB 15 AZI 1 1987" 578.861 feet NGVD 1929

DNR WAB 16, 1987

In Tippecanoe County, Lafayette East Quad., in the NE ¼ of Sec. 2, T. 23 N., R. 4 W., 2nd P.M.; about 2.0 miles northeast of Lafayette; at the intersection of State Road 25 and Debbie Drive; set in the top of a concrete post, 62.8 feet southeast of the northeast corner of a chain link fence, 56.4 feet northwest and across the road from a power pole, 37.0 feet northeast of the southeast corner of a chain link fence, 29.1 feet southeast of the south most of a row of (five) 1.0 inch maple trees, 22.5 feet west of the centerline of State Road 25, 21.9 feet north of a telephone pole, 0.1 foot below the ground; a Department of Natural Resources brass control station tablet, stamped "WAB 16 1987". 606.861 feet NGVD 1929

DNR WAB 16 AZI 1987

In Tippecanoe County, Lafayette East Quad., in the NE ¼ of Sec. 2, T. 23 N., R. 4 W., 2nd P.M.; about 2.3 miles northeast of Lafayette; 0.2 mile north along State Road 25 from its intersection with Connie Drive North, on the west side of State Road 25; set in the top of a concrete post, 114.9 feet north of a telephone pole, 77.1 feet southeast of the southeast corner of the south most concrete post at a private drive to the west leading to a geodetic dome home, 62.4 feet southwest of power pole #L 77, 30.2 feet south of a telephone pole with two guy wires, 23.8 feet west of the centerline of State Road 25, 0.1 foot below the level of the ground; a Department of Natural Resources brass control station tablet, stamped "WAB 16 AZI 1 1987". 608.518 feet NGVD 1929

DNR WAB 17, 1987

In Tippecanoe County, Lafayette East Quad., in a Grant, T. 24., R. 4 W., 2nd P.M.; about 3.5 miles north-northeast of Lafayette; approximately 0.75 miles northeast along 1 Northeast Road (Swisher Road) from the 1 Northeast Road (Swisher Road) bridge over I-65; set in the top of a concrete post, 160.5 feet southwest of a 36.0 inch diameter tree, 72.0 feet northeast of a 8"x 8" wooden post on the southeast side of the road, 60.2 feet southeast of a power pole on the northwest side of the road, 17.4 feet southeast of the centerline of the road, 0.1 foot below the ground; a Department of Natural Resources brass control station tablet, stamped "WAB 17 1987". 579.905 feet NGVD 1929

DNR WAB 17 AZI 1, 1987

In Tippecanoe County, Lafayette East Quad., in a Grant, T. 24 N., R. 4 W., 2nd P.M.; about 3.9 miles north-northeast of Lafayette; about 1.25 miles northeast along 1 Northeast Road (Swisher Road) from the 1 Northeast Road bridge over I-65, at the Norman G. Debay residence; set in the top of a concrete post, 85.1 feet south of a power pole on the northwest side of the road, 77.8 feet southeast of and across the road from a 22.0 inch Hickory tree, 73.5 feet northeast of a telephone pole, 60.0 feet northeast of a mailbox, 55.0 feet east of the centerline of a private drive to the north and the northwest edge of 1 Northeast Road (Swisher Road), 0.1 foot below the ground; a Department of natural Resources brass control station tablet, stamped "WAB 17 AZI 1 1987". 574.933 feet NGVD 1929

DNR WAB 18, 1987

In Tippecanoe County, Lafayette East Quad., in the West ½ of Sec. 25, T. 24 N., R. 4 W., 2nd P.M.; about 4.1 miles northeast of Lafayette; at the State Road 225 bridge over the Wabash River; set in the top of a concrete post, about 470 feet southeast of the southeast abutment of the bridge, 68.0 feet north of a multi-trunk Maple tree, 42.5 feet southeast of the center of a storm drain drop inlet, 24.5 feet northeast of the centerline of State Road 225, 21.2 feet west of a utility pole, 0.1 foot below the ground; a Department of Natural Resources brass control station tablet, stamped "WAB 18 1987".

525.280 feet NGVD 1929

DNR WAB 18 AZI 1, 1987

In Tippecanoe County, Lafayette East Quad., in the SE ¼ of Sec. 25, T. 24 N., R. 4 W., 2nd P.M.; about 4.1 miles northeast of Lafayette; 0.15 mile generally northeast along State Road 225 from its intersection with State Road 25, at a 90 degree bend in the road (State Road 225); set in the top of a concrete post, 84.4 feet west of telephone pole # SR 25/225/2 DISC, 66.0 feet north of a 26.0 inch Maple tree, 41.1 feet southeast of a "GAS PIPELINE" warning post, 35.0 feet southwest of the centerline of State Road 225, 29.0 feet northwest of the centerline of a asphalt private drive leading to the Wayne Kingma residence # 4755, 11.7 feet west of a square metal "ROAD DIRECTION" sign post, 11.0 feet southeast of the centerline of a gravel drive at the edge of a concrete apron, 4.0 feet southwest of the southwest edge of the concrete apron on the southwest side of State Road 225, about 1.5 feet below the centerline of the asphalt private drive leading to the Wayne Kingma residence #4755, 0.2 foot below the ground; a Department of Natural Resources brass control station tablet, stamped "WAB 18 AZI 1 1987".

531.769 feet NGVD 1929

DNR WAB 19, 1987

In Tippecanoe County, Lafayette East Quad., in the SW ¼ of Sec. 30, T. 24 N., R. 3 W., 2nd P.M.; about 4.3 miles northeast of Lafayette; at the 5 Northeast Road (Stair Road) bridge over Buck Creek; set in the top of a concrete post, 106.0 feet southwest of the centerline of a private drive (#5505 E. Vandeventor), 54.75 feet southwest of a "30 MILE PER HOUR" speed limit sign post, 44.1 feet southeast of the northeast end of the bridge, 35.0 feet northeast of the southeast end of the bridge, 28.7 feet northeast of Dept. of Natural Resources station TR-137, 14.1 feet south-southwest of the centerline of Stair Road, 0.1 foot below the ground; a Department of Natural Resources brass control station tablet, stamped "WAB 19 1987".

537.981 feet NGVD 1929

DNR WAB 19 AZI 1, 1987

In Tippecanoe County, Lafayette East Quad., in the NE ¼ of Sec. 30, T. 24 N., R. 3 W., 2nd P.M.; about 4.6 miles northeast of Lafayette; about 0.35 mile northeast along 5 Northeast Road (Stair Road) from the 5 Northeast Road (Stair Road) bridge over Buck Creek, on the southeast side of 5 Northeast Road (Stair Road); set in the top of a concrete post, 19.5 feet northwest of a railroad spike in a twin trunked Boxelder tree having 18.0 inch and 10.0 inch trunks, 11.5 feet northeast of a fence post, 11.0 feet southeast of the centerline of 5 Northeast Road (Stair Road), 2.1 feet west of a orange Department of Natural Resources witness post, 0.1 foot below the ground; a Department of Natural Resources brass control station tablet, stamped "WAB 19 AZI 1 1987".

531.575 feet NGVD 1929

DNR WAB 20, 1987

In Tippecanoe County, Brookston Quad., in a Grant, T. 24 N., R. 4 W., 2nd P.M.; about 0.4 mile south-southeast of Battleground; at the "T" intersection of State Road 225 and 1 Northeast Road (Swisher Road); set in the top of a concrete post, 77.5 feet southwest of the centerline of State Road 225, 70.0 feet west of a power pole on the southwest side of State Road 225, 45.5 feet southwest of the "SWISHER ROAD" sign post, 33.0 feet southeast of the centerline of Swisher Road, 5.8 feet north of power pole #BAC, 0.1 foot below the level of the ground; a Department of Natural Resources brass control station tablet, stamped "WAB 20 1987".
557.492 feet NGVD 1929

DNR WAB 21, 1987

In Tippecanoe County, Brookston Quad., in the North ½ of Sec. 24, T. 24N., R. 4W., 2nd PM, 0.4 mile northeast of Battleground; at the Battle Ground Cemetery; set in the top of a concrete post, 61.2 feet southwest of a telephone pole, 60.5 feet west of and across the road from a fence corner at the southwest entrance to the cemetery, 39.1 feet northeast of a telephone pole, 24.3 feet northwest of the centerline of the road, 2.55 feet southwest of a fence and a orange Department of Natural Resources witness post, 0.1 foot below the ground; a Department of Natural Resources brass control station tablet, stamped "WAB 21 1987"
605.464 feet NGVD 1929

DNR WAB 21 AZI 1, 1987

In Tippecanoe County, Brookston Quad., in the SW ¼ of Sec. 18, T. 24 N., R. 4 W., 2nd P.M.; about 1.1 miles northeast of Battle Ground; at the "T" intersection of Pretty Prairie Road and 500 East Road, on the extended centerline of 500 East Road; set in the top of a concrete post, 58.3 feet east of and across Pretty Prairie Road from a 6.0 inch Maple tree, 45.6 feet southeast of and across Pretty Prairie Road from a telephone pole, 30.3 feet southwest of and a road sign post, 20.9 feet southeast of the centerline of Pretty Prairie Road, 16.6 feet west of a power pole, 0.1 foot below the ground; a Department of Natural Resources brass control station tablet, stamped "WAB 21 AZI 1 1987"
607.775 feet NGVD 1929

DNR WAB 22, 1987

In Tippecanoe County, Brookston Quad., in the SE ¼ of Sec. 19, T. 24 N., R. 3 W., 2nd P.M.; about 2.0 miles east of Battle Ground; about 0.5 mile southwest along 5 Northeast Road (Stair Road) from its "T" intersection with State Road 25, on the southeast side of 5 Northeast Road (Stair Road); set in the top of a concrete post, 91.0 feet southwest of the centerline of a private drive leading to a residence # 6201, 79.6 feet west of a 26 inch Cottonwood tree, 77.4 feet southeast of power pole #LF 4/88, 32.8 feet west of a 4 inch Hackberry tree, 13.5 feet southeast of the centerline of 5 Northeast Road (Stair Road), 1.3 feet northwest of a metal "TIPPECANOE COUNTY SURVEYORS OFFICE" witness post, 0.2 foot below the ground; a Department of Natural Resources brass control station tablet, stamped "WAB 22 1987".

532.479 feet NGVD 1929

DNR WAB 22 AZI 1, 1987

In Tippecanoe County, Lafayette East Quad., in the NE ¼ of Sec. 30, T. 24 N., R. 3 W., 2nd P.M.; about 5.0 miles northeast of Lafayette; about 0.45 mile northeast along 5 Northeast Road (Stair Road) from its "T" intersection with State Road 225, on the northwest side of 5 Northeast Road (Stair Road), at a farm fiend entrance; set in the top of a concrete post, 40.3 feet west of and across the road from a fence post, 37.4 feet north of and across the road from a fence post, 19.8 feet northwest of the centerline of the road, 0.1 foot below the ground; a Department of Natural Resources brass control station tablet, stamped "WAB 22 AZI 1 1987".

532.183 feet NGVD 1929

DNR TBM HADLEY 1, 2002

In Tippecanoe County, Lafayette West Quad., in the SW ¼ of Sec. 36, T. 23 N., R. 5 W., 2nd P. M.; about 2.75 miles west of the State Soldiers Home, at the intersection of Morehouse Road and two CMP's for Hadley Lake, at the northeast end of Hadley Lake; set on top of a 7.2 foot diameter concrete housing for a water pumping station, on the south most corner of a metal entrance door to the pumping station, 76 feet northeast of the centerline of Morehouse Road, 44 feet south of the centerline of a levee, 5.8 feet north of a power pole with a electric meter, 4.8 feet south of a vent pipe on the north side of the housing, about 4 feet above the ground; a filed line forming a triangle.

3rd Order

654.89 feet NGVD 1929

654.60 feet NAVD 1988

Corpscon Conversion

DNR TBM CD 1, 2002

In Tippecanoe County, Lafayette West Quad., in the SE ¼ of Sec. 25, T. 24 N., R. 5 W., 2nd P. M.; about 2.75 miles northwest of the State Soldiers Home; at the 150 West Road box culvert over Cole Ditch; set near the center of the east concrete headwall of the culvert. 11 feet east of the centerline of 150 West Road, 7.35 feet north of the south face of the headwall, 7.5 feet south of the north face of the headwall, 0.6 foot west of the east face of the headwall, about 1.5 feet above the road; a chiseled triangle.

3rd Order

657.27 feet NGVD 1929

656.98 feet NAVD 1988

Corpscon Conversion

DNR TBM CD 2, 2002

In Tippecanoe County, Lafayette West Quad., in the NW ¼ of Sec. 31, T. 24 N., R. 4 W., 2nd P. M.; about 2 miles northwest of the State Soldiers Home; at the 500 North Road concrete bridge over an unnamed tributary to Cole Ditch; set on the top of the southwest concrete bridge abutment, 14.7 feet south of the centerline of 500 North Road, 2.0 feet west of the east face of the concrete abutment, 3.0 feet east of the west face of the abutment, 0.5 foot north of the south face of the abutment, about 0.5 foot below the asphalt road; a chiseled triangle.

3rd Order

654.55 feet NGVD 1929

654.26 feet NAVD 1988

Corpscon Conversion

DNR BM WAB 6 RESET 2002

In Tippecanoe County, Lafayette West Quad., in the SE ¼ of Sec. 19, T. 23 N., R. 4 W., 2nd P. M.; at West Lafayette; in the Purdue University Campus at the Young Parking Garage, on the north side of Wood Street near the intersection of Wood Street and Grant Street; set in the concrete for an air shaft, about ±230 feet west of the centerline of Grant Street, about ±260 feet east of the centerline of Sheetz Street, 46.5 feet northeast of the top of a fire hydrant, 55.0 feet west of the northwest corner of the concrete base of a square metal light pole, 28.1 feet north of the extended north edge of north sidewalk, 9.8 feet southeast of the northwest corner of a concrete wall that surrounds the above ground Young Parking Garage, 4.4 feet below the top of the concrete wall, 0.6 foot west of the southwest corner of a metal grate, 6.0 feet south of the south face of the concrete wall; a brass disk stamped "WAB 6 2002".

3rd Order

608.506 feet NGVD 1929

DNR TBM PU 1, 2002

In Tippecanoe County, Lafayette West Quad., in the SE ¼ of Sec. 19, T. 23 N., R. 4 W., 2nd P. M.; at West Lafayette; in the Purdue University Campus, in the southeast ¼ of the intersection of Grant Street and Wood Street; set in the north side of a wooden light pole # 685-643, 156 feet south of the centerline of Wood Street, 20.7 feet east of the centerline of Grant Street, 18.3 feet south of the extended centerline of a sidewalk leading east to a parking lot, 4.0 feet north of a "3 HOUR PARKING" sign post, 2 feet west of the west edge of the north-south sidewalk, about 1 foot above the ground; a railroad spike driven through an aluminum tag, stamped "IDNR TBM PU 1 2002".

3rd Order

605.375 feet NGVD 1929

DNR TBM PU 2, 2002

In Tippecanoe County, Lafayette West Quad., in the SE ¼ of Sec. 19, T. 23 N., R. 4 W., 2nd P. M.; at West Lafayette; in the Purdue University Campus, in the southwest ¼ of the intersection of Sheetz Street and Wood Street, along the south edge of a parking lot; set in the southeast side of a wooden power pole #TP1 580 with transformer, approximately ±141 feet south of the centerline of Wood Street, 91 feet west of the centerline of Sheetz Street, 26.0 feet south of the centerline of a asphalt drive for the parking lot, 14.1 feet northeast of the northeast corner of a brick building, about 0.5 foot above the ground; a railroad spike driven through an aluminum tag, stamped "IDNR TBM PU 2 2002".

3rd Order

615.180 feet NGVD 1929

DNR TBM DLZ 17

In Tippecanoe County, Lafayette East Quad., in the NE ¼ of Sec. 29, T. 23 N., R. 3 W., 2nd P. M.; about 1.0 mile east of Lafayette; about 0.35 mile south along 675 East Road (5 A East Road) from its "T" intersection with State Road 26, to a power pole on the west side of 675 East Road (5 A East Road); set in southeast side of the power pole, 32.0 feet northwest of power pole # HL—3B 10, 31.5 feet west of the centerline of 675 East Road (5A East Road), about 1.6 feet above the ground; a boat spike.

3rd Order

662.074 feet NGVD 1929

DNR TBM DLZ 12

In Tippecanoe County, Lafayette East Quad., in the East ½ of Sec. 29, T. 23 N., R. 3 W., 2nd P. M.; about 1.0 mile east of Lafayette; at the "T" intersection of 50 South Road (O A South Road) and 675 East Road (5 A East Road), in the northwest ¼ of the intersection; set in the northeast side of power pole # HLZ—3 29, 18 feet west of the centerline of 675 East Road, 19 feet north of the centerline of 50 South Road, about 1.3 foot above the ground; a railroad spike.

3rd Order

662.692 feet NGVD 1929

DNR TBM GN 18066, 2002

In Tippecanoe County, Lafayette East Quad., in the East ½ of Sec. 29, T. 23 N., R. 3 W., 2nd P. M.; about 1.0 mile east of Lafayette; about 0.75 mile south along 675 East Road (5 A East Road) from its "T" intersection with State Road 26 to the intersection of a county road west (O A South Road) and a gravel drive east; thence east along the gravel drive about 0.15 mile to a cottage on the west side South Fork Wildcat Creek; set in the south side of a 12 inch Hackberry tree, 47.5 feet west of the centerline of the gravel drive, 19 feet north-northwest of the northeast corner of the tool shed, 17 feet north-northeast of northwest corner of the tool shed, about 0.5 foot above the ground; a railroad spike driven through an aluminum tag, stamped "IDNR TBM GN 18066 2002".

3rd Order

589.695 feet NGVD 1929

IDOH BM TIPP C-83

In Tippecanoe County, Brookston Quad., in the NE ¼ of Sec. 16, T. 24 N., R. 3 W., 2nd P. M.; at Americus; at the Grant Road bridge over the Wabash River; set on the top of the southwest concrete abutment of the Grant Road bridge over the Wabash River, 15.5 feet west of the centerline if the Grant Road, 7.4 feet north of the south face of the southwest abutment, 0.7 foot south of the north face of the expansion joint on the abutment, 0.6 foot east of the west face of the abutment, about level with the road; a Indiana Department of Highways BM tablet, stamped "TIPP C-83".

3rd Order

548.477 feet NGVD 1929

SHCOI BM TIPP C-71 (hard to read)

In Tippecanoe County, Lafayette East Quad., in the SW ¼ of Sec. 34, T. 24 N., R. 4 W., 2nd P. M.; at Lafayette; at the 1 East Road (North 9th Street) bridge over the Wabash River; set on the southeast concrete abutment of the bridge, 18 feet east of the centerline of the road, 8.9 feet north of the south face of the southeast abutment, 1.2 feet south of the north face of the abutment, 0.6 foot east of the west face of the abutment, 0.6 foot west of the east face of the abutment, about 0.8 foot above the road; a State Highway Commission of Indiana BM tablet, stamped "TIPP C-71".

3rd Order

546.997 feet NGVD 1929

SHCOI BM TIPP C-70

In Tippecanoe County, Lafayette East Quad., in the SW ¼ of Sec. 34, T. 24 N., R. 4 W., 2nd P. M.; at Lafayette; at the 1 East Road (North 9th Street) bridge over the Wabash River; set on the northwest concrete abutment of the bridge, 18.5 feet west of the centerline of the road, 18 feet south of the north face of the northwest abutment, 0.9 feet north of the south face of the abutment, 0.55 foot east of the west face of the abutment, 0.7 foot west of the west face of the bridge, about 0.8 foot above the road; a State Highway Commission of Indiana BM tablet, stamped "TIPP C-70".

3rd Order

552.340 feet NGVD 1929

DNR TBM WABR 34, 2004

In Tippecanoe County, Lafayette East Quad., in the SE ¼ of Sec. 33, T. 24 N., R. 4 W., 2nd P. M.; at Lafayette; at a steel truss foot bridge over the Wabash River, just west of the 1 East Road (North 9th Street) bridge over the Wabash River, on old Davis Ferry Road; set on the north end in the northwest corner of the old steel truss bridge, in the concrete bridge deck, next to the first steel truss south of the north end of the bridge, 21.5 feet south of the northwest end of the steel expansion joint, 6.5 feet west of the centerline of the bridge, 1 foot east of the east face of the concrete curb; a cut triangle.

3rd Order

542.727 feet NGVD 1929

DNR TBM WABR 35, 2004

In Tippecanoe County, Lafayette East Quad., in the SE ¼ of Sec. 33, T. 24 N., R. 4 W., 2nd P. M.; at Lafayette; at a steel truss foot bridge over the Wabash River, just west of the 1 East Road (North 9th Street) bridge over the Wabash River, on old Davis Ferry Road; set on the south end in the southeast corner of the old steel truss bridge, in the concrete bridge deck, next to the first steel truss north of the south end of the bridge, 21.7 feet north of the southeast end of the steel expansion joint, 6 feet east of the centerline of the bridge, 1.4 feet west of the west face of the concrete curb, 1.8 feet south of the southwest corner of a steel storm drain; a cut triangle.

3rd Order

542.732 feet NGVD 1929

DNR TBM WABR 36, 2004

In Tippecanoe County, Lafayette West Quad., in the SE ¼ of Sec. 8, T. 23 N., R. 4 W., 2nd P. M.; at West Lafayette; under the U. S. 52 bridge over State Road 43 and the Wabash River; set in the east side of the 1st utility pole on the west side of State Road 43 and the north side of the U. S. 52 bridge, about 50 feet north of the bridge, 17.5 feet west of the centerline of State Road 43, 0.8 foot above the ground; a railroad spike upside down in the utility pole.

3rd Order

528.726 feet NGVD 1929

DNR TBM WABR 37, 2004

In Tippecanoe County, Lafayette West Quad., in the SE ¼ of Sec. 8, T. 23 N., R. 4 W., 2nd P. M.; at West Lafayette; at the U. S. 52 bridge over State Road 43 and the Wabash River; set in the top of the southeast corner of the 3rd step of the concrete steps leading to a pump house building, about ± 200 feet north of the U. S. 52 bridge, 46.5 feet west of the centerline of State Road 43, 5.7 feet southeast of the southeast corner of the pump house building, 1.6 feet above the ground; a cut line forming a triangle.

3rd Order

531.258 feet NGVD 1929

DNR TBM WABR 38, 2004

In Tippecanoe County, Lafayette West Quad., in the SW ¼ of Sec. 20, T. 23 N., R. 4 W., 2nd P. M.; at West Lafayette; in Tawpawingo Park; set on the steel base of a ± 6 feet diameter steel power pole, ± 160 feet east of Tawpawingo Drive, 97 feet south of Brown Street, 16 feet southwest of a ± 18 inch wooden power pole, 10 feet west of west face of the concrete curb of the west most curb of the parking lot for Tawpawingo Park, 2.3 feet east of the east face of the steel power pole, 1.6 feet above the ground, 0.3 foot west of the east most corner of the steel base for the steel power pole; a cut square with stamping "WABR 38 2004".

3rd Order

533.206 feet NGVD 1929

DNR TBM WABR 40, 2004

In Tippecanoe County, Otterbein Quad., in the NW ¼ of Sec. 28, T. 23 N., R. 5 W., 2nd P. M.; about 3 miles west of Lafayette; at a South River road small bridge over a tributary to the Wabash River, about 0.15 miles northwest along South River road from the South River Road bridge over Jordan Creek; set on the east end of the north concrete headwall of the bridge, on the northeast corner of the headwall; two cut lines forming a square.

3rd Order

541.579 feet NGVD 1929

DNR TBM WABR 39, 2004

In Tippecanoe County, Otterbein Quad., in the SW ¼ of Sec. 20, T. 23 N., R. 5 W., 2nd P. M.; about 4 miles south-southwest of Montmorenci; at the Division Road concrete bridge over an unnamed tributary to the Wabash River; set in the top of the west end of the south concrete headwall of the bridge, about 200 feet west of the "T" intersection of 575 West Road and Division Road (South River Road), 17.5 feet south of the centerline of Division Road, 6 feet northeast of the southwest end of the wingwall, 0.8 foot east of the west face of the wingwall, 1.2 feet south of the northeast corner of the headwall, about 0.8 foot above the centerline of the road; two cut lines forming a square.

3rd Order

531.449 feet NGVD 1929

TIPPECANOE COUNTY HIGHWAY DEPARTMENT # 1

In Tippecanoe County, Otterbein Quad., in the NE ¼ of Sec. 25, T. 23 N., R. 6 W., 2nd P. M.; about 4.7 miles north of West Point; at the 700 West Road small concrete bridge over Indian Creek; set on top of the northwest concrete abutment of the bridge, 16.2 feet west of the centerline of 700 West Road, 7.2 feet north of the south face of the abutment, 0.8 foot south of the north face of the abutment, 0.7 foot west of the west face of the west concrete guardrail, 0.5 foot east of the west face of the abutment, about level with 700 West Road; a Tippecanoe County Highway Department benchmark tablet, not stamped.

3rd Order

523.799 feet NGVD 1929

TIPPECANOE COUNTY HIGHWAY DEPARTMENT # 2

In Tippecanoe County, Otterbein Quad., in the NW ¼ of Sec. 30, T. 23 N., R. 5 W., 2nd P. M.; about 4.5 miles north of West Point; at the 700 West Road bridge over the Wabash River; set on top of the southeast concrete abutment of the bridge, 16.5 feet east of the centerline of 700 West Road, 6.5 feet south of the north face of the abutment at the expansion joint, 0.65 foot north of the south face of the abutment, 0.4 foot east of the east face of the east concrete guardrail, 0.45 foot west of the east face of the abutment, about level with 700 West Road; a Tippecanoe County Highway Department benchmark tablet, not stamped.

3rd Order

532.674 feet NGVD 1929

DNR TBM OTT 1, 1995

In Tippecanoe County, Otterbein Quad., in the NE ¼ of Sec. 35, T. 24 N., R. 6 W., 2nd P. M.; about 1.6 mile southeast of Otterbein; at the 825 West Road Bridge over Otterbein Ditch; set on the north end of the west concrete guardrail of the bridge, 10 feet west of the centerline of 825 West Road, 1 foot south of the north face of the concrete guardrail, 0.6 foot east of the west face of the guardrail, about 0.6 foot above 825 West Road; a chiseled triangle.

2nd Order

690.391 feet NGVD 1929

690.142 feet NAVD 1988

DNR TBM OTT 2, 1995

In Tippecanoe County, Otterbein Quad., in the SW ¼ of Sec. 27, T. 24 N., R. 6 W., 2nd P. M.; at Otterbein; at the 500 North Road Bridge over Otterbein Ditch; set on the west end of the north concrete guardrail, 13.5 feet north of the centerline of 500 North Road, 0.7 foot east of the west face of the concrete, 0.7 feet west of the east face of the concrete, 1.5 feet northeast of the bridge sign post, about level with the road; a chiseled square.

2nd Order

704.124 feet NGVD 1929

703.875 feet NAVD 1988

DNR TBM OTT 3, 1995

In Tippecanoe County, Otterbein Quad., in the SW ¼ of Sec. 27, T. 24 N., R. 6 W., 2nd P. M.; at Otterbein; at the State Road 52 culvert over Otterbein Ditch; set in the northwest corner of the concrete culvert, 30 feet north of the centerline of west bound State Road 52, 1.1 feet east of an end fence end post, 0.5 foot south of the north face of the concrete, 0.6 foot east of the west face of the concrete, about 3.5 feet below State Road 52; a chiseled triangle.

2nd Order

703.883 feet NGVD 1929

703.634 feet NAVD 1988

DNR TBM OTT 4, 1995

In Tippecanoe County, Otterbein Quad., in the NW ¼ of Sec. 27, T. 24 N., R. 6 W., 2nd P. M.; at Otterbein; at the County Line Road Bridge over Otterbein Ditch, near the northeast corner of the bridge; set in power pole # 000-5777 with a transformer, 21.5 feet east of the centerline of County Line Road (1100 West Road), 23.0 feet south of the centerline of a driveway, 15.5 feet north of the north most guy wire, about 2.3 feet above the ground, about 1.3 feet below the road; a railroad spike driven through an aluminum tag stamped, "IDNR TBM OTT 4 1995".

2nd Order

704.871 feet NGVD 1929

704.622 feet NAVD 1988

DNR TBM OTT 5, 1995

In Benton County, Otterbein Quad., in the NE $\frac{1}{4}$ of Sec. 33, T. 24 N., R. 6 W., 2nd P. M.; at Otterbein; in the northeast $\frac{1}{4}$ of the intersection of Main Street and Sixth Street; set in the east side of a power pole, 23 feet east of the centerline of Main Street, 25 feet north of the centerline of Sixth Street, 3.2 feet west of street sign post, 7.0 feet northwest of "STOP" sign post, about 1.2 feet above the ground; a railroad spike driven through an aluminum tag, stamped "OTT 5 1995".

2nd Order

709.532 feet NGVD 1929

709.282 feet NAVD 1988

DNR TBM OTT 6, 1995

In Benton County, Otterbein Quad., in the SW $\frac{1}{4}$ of Sec. 28, T. 24 N., R. 6 W., 2nd P. M.; at Otterbein; in the northwest $\frac{1}{4}$ of the intersection of Oxford Street and Meadows Street; set in the south side of power pole # 29-598, 20.5 feet west of the centerline of Meadows Street, 19.5 feet north of the centerline of Oxford Street, 11.8 feet south of a "STOP" sign post, 13 feet east of a fire hydrant, about 1.2 feet above the ground; a railroad spike driven through an aluminum tag, stamped "OTT 6 1995".

2nd Order

706.508 feet NGVD 1929

706.259 feet NAVD 1988

DNR TBM OTT 7, 1995

In Benton County, Otterbein Quad., in the SW $\frac{1}{4}$ of Sec. 26, T. 24 N., R. 6 W., 2nd P. M.; at Otterbein; in the northeast $\frac{1}{4}$ of the intersection of Oxford Street and State Road 52; set in the south side of power pole # 22-487, 29 feet north of the centerline of Oxford Street, 108 feet southwest of the centerline of east bound State Road 52, 13.5 feet east of a culvert, 2.1 feet southeast of a right-of-way concrete marker, about 1.2 feet above the ground; a railroad spike driven through an aluminum tag, stamped "OTT 7 1995".

2nd Order

703.811 feet NGVD 1929

703.562 feet NAVD 1988

DNR TBM 061906-1

In Tippecanoe County, Otterbein Quad., in the SE ¼ of Sec. 24, T. 23 N., R. 6 W., 2nd P. M.; at the Division Road bridge over Indian Creek; set at the southeast corner of the bridge on the concrete apron, 15 feet south of the centerline of the road, 3.4 feet north of the northeast corner of the south concrete guardrail, 0.65 foot west of the east edge of the concrete apron, 0.5 foot south of the north face of the apron, about 0.5 foot below the asphalt road; a cut triangle.

3rd Order

523.797 feet NGVD 1929

TIPPECANOE COUNTY HIGHWAY DEPARTMENT # 3

In Tippecanoe County, Otterbein Quad, in the SE ¼ of Sec. 24, T. 23 N., R. 6 W., 2nd P. M.; at the 725 West Road bridge over Indian Creek; set on top of the southeast concrete wingwall, 16 feet east of the centerline of 725 East Road, 4.3 feet southwest of the northeast end of the wingwall, 3.7 feet northeast of the east face of the concrete bridge deck and wingwall intersection, 0.5 foot southeast of the northwest face of the wingwall, 0.5 foot northwest of the southeast face of the wingwall, about level with the road; a Tippecanoe County Highway Department Disk (Not Stamped).

3rd Order

529.150 feet NGVD 1929

SHCOI BM TIPP C-25

In Tippecanoe County, Otterbein Quad., in the NW ¼ of Sec. 17, T. 23 N., R. 5 W., 2nd P. M.; about 2 miles south of Montmorenci; at the State Road 26 bridge over Indian Creek; set on the west end of the north concrete headwall of the bridge, 22 feet north of the centerline of State Road 26, 0.5 foot east of the west face of the north concrete headwall, 0.6 foot north of the south face of the headwall, 0.5 foot south of the north face of the headwall; about 3 feet below the road; a State Highway Commission of Indiana BM tablet, stamped "TIPP C-25".

3rd Order

602.225 feet NGVD 1929

DNR TBM 062006-1

In Tippecanoe County, Lafayette West Quad., in the NW ¼ of Sec. 9, T. 23 N., R. 5 W., 2nd P. M.; about 2 miles southwest of Klondike; at the Jackson Highway Bridge over Indian Creek; set on the concrete guardrail base, 13 feet southwest of the centerline of Jackson Highway, 0.4 foot southeast of the northwest end of the southwest concrete guardrail base, 0.7 foot southwest of the northeast face of the guardrail base, 0.4 foot northeast of the northeast face of the concrete guardrail, about 0.8 foot above the road; a cut square.

3rd Order

626.900 feet NGVD 1929

DNR TBM 062106-1

In Tippecanoe County, Lafayette West Quad., in the SW $\frac{1}{4}$ of Sec. 4, T. 23 N., R. 5 W., 2nd P. M.; about 1.75 miles west of Klondike; in the northwest $\frac{1}{4}$ of the intersection of 475 West Road and a railroad track crossing, about 0.1 mile south of U. S. 52 and State Road 231; set in the east side of power pole # 29-301, 19 feet west of the centerline of 475 West Road, 59 feet north of the north rail of the railroad tracks, about 0.7 foot above the ground; a railroad spike driven through an aluminum tag, stamped "IDNR TBM".

3rd Order

695.812 feet NGVD 1929

IDNR TBM 062006-2

In Tippecanoe County, Lafayette West Quad., in the SW $\frac{1}{4}$ of Sec. 3, T. 23 N., R. 5 W., 2nd P. M.; about 1 mile southwest of Klondike; at the 400 West Road Bridge over Indian Creek; set on top of the northeast concrete wingwall of the bridge, 15 feet east of the centerline of 400 West Road, 6.4 feet southwest of the northeast end of the wingwall, 1.0 foot northeast of the northeast corner of the east concrete guardrail, 0.6 foot northwest of the southeast face of the wingwall, about 0.5 foot below the road; a cut triangle.

3rd Order

646.962 feet NGVD 1929

SHCOI BM TIPPE C-19

In Tippecanoe County, Lafayette West Quad., in the SW $\frac{1}{4}$ of Sec. 3, T. 23 N., R. 5 W., 2nd P. M.; about 0.5 mile west of Klondike; at the U. S. 52 and State Road 231 bridge over a ditch, about 0.3 mile west of the U. S. 52 and State Road 231 bridge over Indian Creek; set on the southeast concrete wingwall of the bridge, 0.65 foot south of the south face of the south concrete guardrail, 0.75 foot east of the west face of the wingwall, 0.45 foot west of the east face of the wingwall, about level with the road; a State Highway Commission of Indiana BM tablet, stamped "TIPPE C-19".

3rd Order

651.140 feet NGVD 1929

SHCOI BM TIPPE C-20

In Tippecanoe County, Lafayette West Quad., in the SE ¼ of Sec. 3, T. 23 N., R. 5 W., 2nd P. M.; about 0.2 mile west of Klondike; at the U. S. 52 and State Road 231 bridge over Indian Creek; set on the southeast concrete wingwall of the bridge, 0.9 foot east of the west face of the wingwall, 0.85 foot south of the south face of the south concrete guardrail, 0.5 foot west of the east face of the wingwall, about level with the road; a State Highway Commission of Indiana BM tablet, stamped "TIPPE C-20".

3rd Order

655.425feet NGVD 1929

DNR TBM 071006-1

In Tippecanoe County, Lafayette West Quad., in the NE ¼ of Sec. 3, T. 23 N., R. 5 W., 2nd P. M.; about 0.3 mile north of Klondike; at the 300 West Road Bridge over Indian Creek; set on top of the southwest corner of the southwest concrete wingwall of the bridge, 18.5 feet west of the centerline of 300 West Road, 3.6 feet west of the southwest corner of the west concrete guardrail, 1.2 feet east of the west face of the wingwall, 0.8 foot south of the north face of the wingwall, about 0.5 foot below the road; 3 chiseled lines forming a square.

3rd Order

657.120 feet NGVD 1929

DNR TBM 071006-2

In Tippecanoe County, Lafayette West Quad., in the NE ¼ of Sec. 3, T. 23 N., R. 5 W., 2nd P. M.; about 0.3 mile north of Klondike; at the 300 West Road Bridge over Indian Creek; set on top of the southwest corner of the northwest concrete wingwall of the bridge, 18.5 feet west of the centerline of 300 West Road, 4.3 feet west of the northwest corner of the west concrete guardrail, 1.3 feet east of the west face of the wingwall, 0.8 foot south of the north face of the wingwall, about 0.5 foot below the road; 3 chiseled lines forming a square.

3rd Order

657.155 feet NGVD 1929

DNR TBM 071106-4

In Tippecanoe County, Lafayette West Quad., in the NW ¼ of Sec. 35, T. 24 N., R. 5 W., 2nd P. M.; about 1.5 miles north of Klondike; at the Morehouse Road Bridge over Indian Creek; set on top of the left upstream concrete bridge seat, 15 feet northeast of the centerline of Morehouse Road, 1.2 feet northeast of the northeast face of the bridge deck, 0.7 foot northwest of the northwest face of the concrete wingwall, 0.55 foot southwest of the northeast face of the bridge seat, about 2 feet below the road; a cut triangle.

3rd Order

673.940 feet NGVD 1929

DNR TBM 071106-3

In Tippecanoe County, Lafayette West Quad., in the SW ¼ of Sec. 26, T. 24 N., R. 5 W., 2nd P. M.; about 1.5 miles north of Klondike; at the 500 North Road Bridge over Indian Creek; set on top of the northwest concrete abutment of the bridge, 13.5 feet north of the centerline of 500 North Road, 4.5 feet east of the west end of the abutment, 0.8 foot west of the east end of the abutment, 0.6 foot south of the north face of the abutment, 0.5 foot north of the south face of the abutment, about level with the road; a cut triangle.

3rd Order

674.227 feet NGVD 1929

DNR TBM 071106-2

In Tippecanoe County, Brookston SW Quad., in the NW ¼ of Sec. 26, T. 24 N., R. 5 W., 2nd P. M.; about 2.5 miles north of Klondike; at the 600 North bridge over Indian Creek; set on top of the southeast concrete abutment of the bridge, 14 feet south of the centerline of 600 South Road, 3.6 feet west of the east end of the abutment, 1.6 feet east of the west end of the abutment, 0.5 foot south of the north face of the abutment, 0.5 foot north of the south face of the abutment, about level with the road; a cut triangle.

3rd Order

686.428 feet NGVD 1929

DNR TBM 071106-1

In Tippecanoe County, Brookston SW Quad., in the SW ¼ of Sec. 23, T. 24 N., R. 5 W., 2nd P. M.; about 4 miles north of Klondike; at the 750 North bridge over Indian Creek; set in the northwest corner of the bridge deck, 10 feet north of the centerline of 750 North Road. 6.1 feet east of the southeast corner of the northwest most "I" beam for the north aluminum guardrail, 0.6 foot south of the north face of the bridge deck; a cut triangle.

3rd Order

704.533 feet NGVD 1929

DNR TBM 071206-1

In Tippecanoe County, Brookston SW Quad., in the SW ¼ of Sec. 2, T. 24 N., R. 5 W., 2nd P. M.; about 2 miles south of Badgers Grove; at the 300 West Road bridge over Burnett Creek; set on the northeast concrete abutment of the bridge, 16 feet east of the centerline of the 300 West Road, 3.8 feet south of the north face of the abutment, 2.8 feet north of the south face of the abutment, 0.45 foot west of the east face of the abutment, about level with the road; a cut triangle.

3rd Order

717.165 feet NGVD 1929

DNR TBM 071306-1

In Tippecanoe County, Brookston SW Quad., in the NW ¼ of Sec. 12, T. 24 N., R. 5 W., 2nd P. M.; about 0.5 mile west of Cairo; at the 850 North Road bridge over Burnett Creek; set on the northeast concrete abutment of the bridge, 15 feet north of the centerline of 850 North Road, 2 feet north of the south face of the abutment, 0.5 foot east of the west face of the abutment, 0.5 foot west of the east face of the abutment, about level with the road; a cut cross.

GPS Elevation

695.88 feet NGVD 1929

DNR TBM 071306-2

In Tippecanoe County, Brookston SW Quad., in the NE ¼ of Sec. 13, T. 24 N., R. 5 W., 2nd P. M.; at the 750 North Road bridge over Burnett Creek; set on the northeast concrete abutment of the bridge, 14 feet north of the centerline of 750 North Road, 1.5 feet north of the north face of the concrete curb of the bridge, 0.5 foot west of the east face of the abutment, 0.5 foot east of the west face of the abutment, about level with the road; a cut triangle.

GPS Elevation

676.76 feet NGVD 1929

DNR TBM 071306-3

In Tippecanoe County, Brookston SW Quad., in the NE ¼ of Sec. 19, T. 24 N., R. 4 W., 2nd P. M.; at the 50 West Road bridge over Burnett Creek; set on the northeast concrete bridge abutment, 16.5 feet east of the centerline of 50 West Road, 0.8 foot east of the east face of the concrete curb, 0.6 foot south of the north face of the abutment, 0.7 foot north of the south face of the abutment, about 0.5 foot above the road; a cut triangle.

GPS Elevation

659.27 feet NGVD 1929

DNR TBM 071306-4

In Tippecanoe County, Brookston SW Quad., in the SE ¼ of Sec. 19, T. 24 N., R. 4 W., 2nd P. M.; at the 650 North Road bridge over Burnett Creek; set on the southeast concrete bridge seat, 15 feet south of the centerline of the road, 1.1 feet south of the south face of the bridge deck, 1.75 feet west of the east face of the bridge seat, 0.75 feet east of the west face of the bridge seat, 0.4 foot north of the south face of the bridge seat, 2.5 feet below the ground; a cut triangle.

GPS Elevation

651.47 feet NGVD 1929

DNR TBM 071306-5

In Tippecanoe County, Brookston SW Quad., in the SW ¼ of Sec. 20, T. 24 N., R. 4 W., 2nd P. M.; at the 600 North Road bridge over Burnett Creek; set on top of the west end of the north concrete curb of the guardrail on the bridge. 13 feet north of the centerline of 600 North Road, 0.8 foot east of the west face of the north concrete curb, 0.5 foot south of the south face of the concrete guardrail, 0.3 foot north of the south face of the concrete curb, about 0.8 foot above the road; a cut square.

GPS Elevation

638.83 feet NGVD 1929

DNR TBM 072606-1

In Tippecanoe County, Lafayette West Quad., in the NE ¼ of Sec. 29, T. 23 N., R. 4 W., 2nd P M.; about 1.5 miles north of Lafayette; at the 75 East Road bridge over Burnett Creek; set in the top of the southwest concrete wingwall of the bridge, 15 feet west of the centerline of the road, 1.4 feet north of the south edge of the wingwall, 1.15 feet south of the north edge of the wingwall, 2.8 feet east of the elevation break in the wingwall, 0.7 east of the east edge of a rectangular plaque, about level with the road; A cut triangle.

GPS Elevation

628.64 feet NGVD 1929

DNR TBM 072606-2

In Tippecanoe County, Brookston Quad., in the NE ¼ of Sec. 28, T. 24 N., R. 4 W., 2nd P M.; about 1 miles west of Battle Ground; at the 600 North Road bridge over Burnett Creek; set in the top of the west end of the south concrete base of the metal guardrail of the bridge, 14.2 feet south of the centerline of the road, 2.25 feet west of the east end of the concrete abutment of the bridge, 1.6 feet north of the south face of the concrete base of the guardrail, 0.5 foot east of the west face of the concrete base of the metal guardrail, 0.5 foot above the road, 0.1 foot south of the north face of the concrete base of the metal guardrail; three cut lines forming a rectangle.

GPS Elevation

612.38 feet NGVD 1929

DNR TBM 080206-1

In Tippecanoe County, Brookston Quad., in the SW ¼ of Sec. 22, T. 24 N., R. 4 W., 2nd P M.; about 1 miles west of Battle Ground; about 0.4 mile north along State Road 43 from its intersection with 600 North Road, at the entrance to the "CROSSROADS CHRISTIAN CHURCH"; set in the west side of a power pole with a transformer, 103 feet east of the centerline of State Road 43, 37.5 feet north of the entrance lane to the church, about 0.5 foot above the ground; a railroad spike driven through an aluminum tag, stamped "080206-1".

Note: The railroad spike is set crooked and has a twist.

GPS Elevation

608.94 feet NGVD 1929

SHCOI BM TIPP C 67

In Tippecanoe County, Brookston Quad., in the NW ¼ of Sec. 23, T. 24 N., R. 4 W., 2nd P M.; about 0.5 mile north of Battle Ground; at the State Road 225 bridge over Burnett Creek; set on the southwest concrete abutment of the bridge, 23 feet south of the centerline of State Road 225, 2.4 feet east of the west face of the abutment, 4.9 feet west of the east face of the abutment, 0.6 foot north of the south face of the abutment, 0.8 foot south of the south face of the south concrete guardrail, about level with the road; a State Highway Commission of Indiana Bench Mark tablet, stamped "TIPP C-67".

GPS Elevation

590.195 feet NGVD 1929

SHCOI BM TIPP C 68

In Tippecanoe County, Brookston Quad., in the SE ¼ of Sec. 23, T. 24 N., R. 4 W., 2nd P M.; at Battle Ground; at the State Road 225 bridge over Burnett Creek; set on the southwest concrete abutment of the bridge, 23 feet southwest of the centerline of State Road 225, 5.2 feet northwest of the southeast end of the abutment, 5.3 feet southeast of the northwest end of the abutment, 0.5 foot northeast of the southwest face of the abutment, 0.7 foot southwest of the southwest face of the west most concrete guardrail, about level with the road; a State Highway Commission of Indiana Bench Mark tablet, stamped "TIPP C-68"

3rd Order

583.204 feet NGVD 1929

TCHD BM "not stamped"

In Tippecanoe County, Brookston Quad., in the SW ¼ of Sec. 23, T. 24 N., R. 4 W., 2nd P M.; at Battle Ground; at the Prophet Street bridge over Burnett Creek; set on the northwest corner of the bridge deck, 11.3 feet north of the centerline of Prophet Street, 0.25 foot south of the south face of the concrete guardrail base, 3.2 feet east of the west end of the concrete guardrail base, 1.3 feet east of the northwest corner of the expansion joint; a Tippecanoe County Highway Department Bench Mark tablet (not stamped).

3rd Order

567.874 feet NGVD 1929

DNR HWM # 57-2004

In Tippecanoe County, Lafayette East Quad., in the SW ¼ of Sec. 27, T. 24 N., R. 4 W., 2nd P M.; about 3.0 miles north of Lafayette; at the north bound I 65 bridge over 1 East Road and Burnett Creek; set on the streamward face (north face) of the first concrete pier north of 1 East Road, 57 feet north of the centerline of 1 East Road, 2.2 feet west of the east face of the concrete pier, 1.9 feet above the rip rap on the ground; a cut crows foot.

3rd Order

540.659 feet NGVD 1929

DNR BM TIPPECANOECO 1, 2007

In Tippecanoe County, Lafayette East Quad., in the SW ¼ of Sec. 21, T. 23 N., R. 3 W., 2nd P M.; about 2.0 miles east of Lafayette; at the State Road 26 bridge over Middle Fork Wildcat Creek; set in the top of the southeast concrete abutment of the bridge, 25.0 feet southeast of the centerline of the road, 8.1 feet northeast of the southwest end of the abutment, 2.8 feet below the top of the concrete guardrail of the bridge, 1.0 foot southwest of the northeast end of the abutment, 0.8 foot southeast of the southeast face of the concrete guardrail of the bridge, 0.4 foot northwest of the southeast face of the abutment, level with the southeast corner of the concrete bridge deck; a cut triangle.

3rd Order

591.347 feet NGVD 1929

IDOT BM TIPP C 117

In Tippecanoe County, Lafayette East Quad., in the SW ¼ of Sec. 21, T. 23 N., R. 3 W., 2nd P M.; about 2.0 miles east of Lafayette; at the State Road 26 bridge over Middle Fork Wildcat Creek; set in the top of the northwest concrete abutment of the bridge, 25.0 feet northwest of the centerline of the road, 10.5 feet southwest of the northeast end of the abutment, 2.8 feet below the top of the concrete guardrail of the bridge, 0.7 foot northwest of the northwest face of the concrete guardrail of the bridge, 0.6 foot northeast of the southwest end of the abutment, 0.4 foot southeast of the northwest face of the abutment, level with the top of the northwest corner of the concrete bridge deck; a Indiana Department of Transportation bench mark tablet, stamped "TIPP C 117".

3rd Order

592.312 feet NGVD 1929

TCHD BM unstamped

In Tippecanoe County, Lafayette East Quad., in the SE ¼ of Sec. 21, T. 23 N., R. 3 W., 2nd P M.; about 0.1 mile south of Monitor; at the 6 B East Road (775 East Road) bridge over Middle Fork Wildcat Creek; set in the top of the west end of the north concrete abutment of the bridge, 13.2 feet west of the centerline of the road, 3.8 feet north of the north end of a brass plaque set in the northwest corner of the concrete bridge deck, 2.2 feet north of the expansion joint between the concrete bridge deck and the concrete bridge abutment, 2.1 feet south of the north end of the abutment, 0.8 foot east of the west face of the abutment, level with the top of the concrete bridge deck; a Tippecanoe County Highway Department bench mark disk, unstamped.

3rd Order

594.545 feet NGVD 1929

TCHD BM not stamped

In Tippecanoe County, Lafayette East Quad., in the NW ¼ of Sec. 4, T. 22 N., R. 3 W., 2nd P M.; about 0.5 mile north of Dayton; at the 2 South Road (200 North Road) bridge over South Fork Wildcat Creek; set in the top of the southwest corner of the concrete bridge deck, 14.5 feet south of the centerline of the road, 3.1 feet west of the base of a metal "I" beam guardrail support post, 1.6 feet east of the southwest corner of the concrete bridge deck, 0.4 foot north of the south face of the concrete bridge deck; a Tippecanoe County Highway Department bench mark disk, not stamped.

3rd Order

619.218 feet NGVD 1929

IDOT BM TIPP C 101

In Tippecanoe County, Lafayette East Quad., in the SE ¼ of Sec. 4, T. 22 N., R. 3 W., 2nd P M.; about 0.5 mile east of Dayton; at the State Road 38 bridge over South Fork Wildcat Creek; set in the top of the southwest concrete abutment of the bridge, 25.0 feet south of the centerline of the road, 9.8 feet east of the west end of the abutment, 5.7 feet west of the east end of the abutment, 2.8 feet below the top of the south concrete guardrail of the bridge, 0.9 foot southwest of the southwest corner of the concrete bridge deck, 0.55 foot south of the south face of the south concrete guardrail of the bridge, 0.55 foot north of the south face of the abutment, level with the top of the southwest corner of the concrete bridge deck; a Indiana Department of Transportation bench mark tablet, stamped "TIPP C 101".

3rd Order

629.338 feet NGVD 1929

DNR TBM 123 WC 85

In Tippecanoe County, Lafayette East Quad., in the NE ¼ of Sec. 10, T. 23 N., R. 4 W., 2nd P.M.; about 1.0 mile northeast of Lafayette; at the State Road 25 bridge over Wildcat Creek; set in a power pole near the southeast corner of the bridge, 44.0 feet southwest of the centerline of 2 East Road, 23.0 feet north of a gravel access road leading to a gravel pit, 1.7 feet above the ground; a railroad spike.

3rd Order

538.046 feet NGVD 1929

DNR BM TIP 26, 1985

In Tippecanoe County, Lafayette East Quad., in the SE ¼ of Sec. 10, T. 23 N., R. 4 W., 2nd P.M.; about 1.0 mile northeast of Lafayette; at the Norfolk and Western Railroad bridge over Wildcat Creek; set in the top of the east end of the south curbing of the bridge, 5.0 feet south of the south rail of the tracks, 1.7 feet west of the east end of the curbing, 1.0 foot above a steel grate walkway for the bridge; a Indiana Department of Natural Resources control station tablet, stamped "TIP 26 1985".

3rd Order

585.98 feet NGVD 1929

DNR BM TIP 25, 1985

In Tippecanoe County, Lafayette East Quad., in the NE ¼ of Sec. 10, T. 23 N., R. 4 W., 2nd P.M.; about 1.0 mile northeast of Lafayette; at the State Road 25 bridge over Wildcat Creek; set in the top of the northeast corner of the concrete bridge deck, 23.0 feet northwest of the centerline of the southwest bound lanes of State Road 25, 4.7 feet southwest of the northeast end of the bridge deck, level with the road; a Indiana Department of Natural Resources control station tablet, stamped "TIP 25 1985".

3rd Order

547.00 feet NGVD 1929

DNR BM TIP 10 RESET 1985

In Tippecanoe County, Pymont Quad., in the NE ¼ of Sec. 10, T. 23 N., R. 3 W., 2nd P.M.; about 0.4 mile south of Heath; 0.4 mile south along a gravel road (Wolfe Road) from its junction with a paved T-road west in the center of Heath to a bridge over Wildcat Creek; set in top of the southwest concrete abutment of the bridge, 13.0 feet west of the centerline of the road, 3.3 feet south of the north end of the abutment, 0.5 foot east of the west face of the abutment, about level with the road; a Indiana Department of Natural Resources control station tablet, stamped "TIP 10 RESET 1985".

3rd Order

600.926 feet NGVD 1929

DNR TBM 118 WC 85

In Tippecanoe County, Pymont Quad., in the NW ¼ of Sec. 11, T. 23 N., R. 3 W., 2nd P.M.; about 0.4 mile south of Heath; 0.4 mile south along a gravel road (Wolfe Road) from its junction with a paved T-road west in the center of Heath to a bridge over Wildcat Creek; set in top of the northeast concrete abutment of the bridge, 14.0 feet east of the centerline of the road, 0.6 foot north of the south face of the abutment, 0.5 foot west of the east face of the abutment, level with the top of the bridge deck; a chiseled triangle.

3rd Order

600.921 feet NGVD 1929

DNR BM TIP 8 RESET 1985

In Tippecanoe County, Lafayette East Quad., in the NW ¼ of Sec. 16, T. 23 N., R. 3 W., 2nd P.M.; about 3.7 miles south of Buck Creek; at the 6 B East Road bridge over Wildcat Creek; set in top of the northeast concrete abutment of the bridge, 15.0 feet north of the centerline of the road, 1.3 feet east of the west end of the abutment, 1.0 foot south of the north face of the abutment, level with the road; a Indiana Department of Natural Resources control station tablet, stamped "TIP 8 RESET 1985".

3rd Order

588.254 feet NGVD 1929

DNR TBM 119 WC 85

In Tippecanoe County, Lafayette East Quad., in the NW ¼ of Sec. 16, T. 23 N., R. 3 W., 2nd P.M.; about 3.7 miles south of Buck Creek; at the 6 B East Road bridge over Wildcat Creek; set in top of the southeast concrete abutment of the bridge, 16.0 feet south of the centerline of the road, 0.4 foot east of the west end of the abutment, 0.4 foot north of the south face of the abutment, level with the road; a chiseled triangle.

3rd Order

588.707 feet NGVD 1929

DNR TBM 120 WC 85

In Tippecanoe County, Lafayette East Quad., in the NE ¼ of Sec. 14, T. 23 N., R. 4 W., 2nd P.M.; about 0.5 mile northeast of Lafayette; at the 2 A East Road (Eisenhower Road) bridge over Wildcat Creek; set in the top of the southeast concrete abutment of the bridge, 18.0 feet south of the centerline of 2 A East Road (Eisenhower Road), 0.6 foot east of the west end of the abutment, 0.6 foot north of the south face of the abutment, level with the road; a chiseled triangle.

3rd Order

564.00 feet NGVD 1929

DNR TBM 121 WC 85

In Tippecanoe County, Lafayette East Quad., in the NW ¼ of Sec. 14, T. 23 N., R. 4 W., 2nd P.M.; about 0.5 mile northeast of Lafayette; at the I 65 (north bound) bridge over Wildcat Creek; set in the top of the northeast concrete abutment of the bridge, 25.0 feet northeast of the centerline of the north bound lanes, 0.6 foot northwest of the southeast end of the abutment, 0.6 foot northeast of the southwest face of the abutment, 0.6 foot above the road; a chiseled triangle.

3rd Order

565.45 feet NGVD 1929

TIPPECANOE COUNTY HIGHWAY DEPARTMENT BENCH MARK

In Tippecanoe County, Pymont Quad., in the NW ¼ section 11, T. 23 N., R. 3 W., 2nd P. M. about 2.5 miles north along 900 East Road from the intersection of 900 East Road and S. R. 26. at the 900 East Road bridge over Wildcat Creek. Set on top of the southeast concrete bridge abutment. 14 feet east of the centerline of 900 East Road, 15.0 feet south of the north end of the southeast concrete bridge abutment, 0.8 foot north of the south end of the abutment, 0.6 foot east of the west face of the abutment, 0.3 foot west of the east face of the abutment, about level with the road. A bronze BM tablet stamped "TIPPECANOE COUNTY HIGHWAY DEPARTMENT BENCH MARK".

601.58 feet NGVD 1929 GPS Elevation

DNR TBM 31607-1

In Tippecanoe County, Linden Quad., in the SE ¼ of section 19, T. 21 N., R. 4 W., 2nd P. M. at the 1200 South Road bridge over Kellerman Ditch. About 0.25 miles west of U. S. 231. Set on top of the northeast concrete abutment of the bridge. 14 feet north of the centerline of the road, 1.2 feet below the road, 0.5 foot south of the downstream face of the concrete abutment, 0.5 foot east of the streamward face of the concrete abutment. A chiseled Triangle.

724.98 feet NGVD 1929 3rd Order

IDOH BM TIPP C 86

In Tippecanoe County, Linden Quad., in the SE ¼ of section 19, T. 21 N., R. 4 W., 2nd P. M. at the U. S. 231 bridge over Romney Ditch. About 0.25 miles south of the post office in Romney. Set on top of the southwest concrete abutment of the bridge. 24 feet west of the centerline of the road, 0.7 foot north of the south end of the southwest concrete abutment, about level with the road. An IDOH BM tablet stamped "TIPP C 86".

728.03 feet NGVD 1929 3rd Order

IDOT BM TIPP C 109

In Tippecanoe County, Romney Quad., in the NE ¼ of section 19, T. 21 N., R. 4 W., 2nd P. M. at the S. R. 28 Bridge over Kellerman Ditch. About 0.2 miles west of U. S. 231. Set on top of the east end of the north concrete guardrail, 17.7 feet north of the centerline of S. R. 28, 2.8 feet above the ground, 1.7 feet west of the east end of the guardrail, An IDOT BM tablet stamped "TIPP C 109"

727.135 feet NGVD 1929 3rd Order

USC & GS BM P 88 1946

In Tippecanoe County, Romney Quad., in the SW $\frac{1}{4}$ of section 17, T. 21 N., R. 4 W., 2nd P. M. Starting from the intersection of S. R. 28 and U. S. 231 on the north side of Romney, Thence east along S. R. 28 about 0.25 miles to the bench mark on the north side of S. R. 28. 36.6 feet north of the centerline of the road, 175.6 feet west of a "Buried Gas Line" crossing pipe, about 2 feet above the road, about 0.3 foot above the ground and in the remains of a north-south fence line. Set in top of a concrete post, a USC & GS BM tablet, stamped "P 88 1946".

746.34 feet NGVD 1929 2nd Order

TIPPECANOE COUNTY HIGHWAY BM

In Tippecanoe County, Romney Quad., in the NE $\frac{1}{4}$ of section 19, T. 21 N., R. 4 W., 2nd P. M. About 0.2 miles west of U. S. 231 in downtown Romney. at the 1150 North Road bridge over Kellerman Ditch, Set on top of the northeast concrete abutment of the bridge. 12 feet north of the centerline of 1150 North Road, 0.4 foot east of the west end of the northeast concrete abutment, about level with the road. A 4 inch bronze BM tablet stamped "TIPPECANOE COUNTY HIGHWAY BENCHMARK".

3rd Order

727.39 feet NGVD 1929